




Ver.	Modify No.	Details	Area	P.I.C	Date



Side View



Back View



Technical Datasheet:

1. Structure: TP+LCM Optical Bonding
2. Cover Glass: 3mm Tempered Glass, AG Surface
3. LCD: NV173FHM-N4F
4. TP Controller: BTP-TPM-CTR-ILI-173B-R01
5. TP Controller IC: ILI2510 (TX*RX=39*22)
6. Surface Hardness: ≥6H
7. Light Transmittance: ≥85%
8. Working Temperature: -20°C~+70°C, ≤85%RH;
9. Storage Temperature: -30°C~+80°C, ≤85%RH;
10. Unmarked Tolerance: ±0.5mm
11. All materials used conform to RoHS standards

Touch Panel Structure	
TOP	
-----Cover	3.0mm
-----SCA	0.2mm
-----ITO	} 0.7mm
-----Sensor gals	
-----ITO	
BOTTOM	

Designed by:	Curry.Wang
Checked by:	Betty.Fu
Approved by:	Cale.Chen
Workmanship:	Yong.Xin
Standardization:	Link.Chen
Released by:	Rocky.Liu

Part No.	BTP-TPM-17.3-NV-R01		
Product Name: 17.3 inch Touch Display (TP+LCM Optical Bonding)	Drawing No.	PM173221015R01	
	Project Code.	PM173R01	
Business Unit: SNT-BTP	Period Mark	View Angle	Ratio
	A		1:1
BOM Code	2.23.173.04.0101	Page 1	Total 1 Page
Product Series	BTP-TPM	思诺泰科电子(苏州)有限公司 SINOTECHNICS INC.	