




| Ver. | Modify No. | Details | Area | P.I.C | Date |
|------|------------|---------|------|-------|------|
| | | | | | |
| | | | | | |
| | | | | | |



Technical Datasheet:

1. Structure: Cover Glass+SCA+ITO Glass
2. Controller: BTP-GG-CTR-ETI-280B-R01 COB
3. Controller IC: EETI80H83
4. Cover Glass: T=3mm, Surface hardness ≥6H
5. Light transmittance: ≥85%
6. Working Temperature: -20℃~+80℃, ≤85%RH;
7. Storage Temperature: -30℃~+80℃, ≤85%RH;
8. Unmarked Tolerance: ± 0.3 mm;
9. All material used conform to RoHS standards

| | | | | |
|--------------------------------------|-----------|--|------------------|-------|
| Part No. | | BTP-GG-TPB-28-ETI-R01 | | |
| Product Name: 28 inch Touch Panel | | Drawing No. | G280B23220210R01 | |
| | | Project Code. | G280R01 | |
| Business Unit: SNT-BTP | | Period Mark | View Angle | Ratio |
| | | A | | 1:1 |
| Workmanship: | Yong.Xin | BOM Code | 1.12.280.23.0101 | |
| Standardization: | Link.Chen | Product Series | BTP-GG | |
| Released by: | Rocky.Liu | Page 1 | Total 1 Page | |
| | | 思诺泰科创电子(苏州)有限公司 SINOTELECTRONICS INC. | | |