



Ver.	modify NO.	Details	Area	P.I.C	Date



Front View



Side View




Back View



Technical Datasheet:

1. Structure: Cover Glass+SCA+ITO Glass
2. Controller: BTP-GG-CTR-ETI-320B-R18 COB
3. Controller IC: EXC81H5680STAG
4. Cover Glass: T=3mm, Chemically-strengthened Glass
Surface hardness ≥6H
5. Light transmittance: ≥85%
6. Working Temperature: -20℃~+70℃, ≤85%RH;
7. Storage Temperature: -30℃~+80℃, ≤85%RH;
8. Unmarked Tolerance: ± 0.3 mm;
9. All material used conform to RoHS standards



Touch Panel Structure	
TOP	
-----Cover	3.0mm
-----SCA	0.3mm
-----ITO	} 1.1mm
-----Sensor glass	
-----ITO	
BOTTOM	

Designed by:	Curry.Wang
Checked by:	Betty.Fu
Approved by:	Cale.Chen
Workmanship:	Yong.Xin
Standardization:	Link.Chen
Released by:	Rocky.Liu

Part No.	BTP-GG-TPB-32-ETI-R18		
Product Name: 32inch Touch Panel	Drawing No.	G320230602R18	
	Project Code.	G320R18	
Business Unit: SNT-BTP	Period Mark	View Angle	Ratio
	A		1:1
BOM Code	1.12.320.28.0118	Page 1	Total 1 Page
Product Series	BTP-GG	恩诺泰科电子(苏州)有限公司 SINOTRONICS INC.	