

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0640071200](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Crimp Head for the AT-200 Pneumatic Hand Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General


Product Family	Application Tooling
Series	207129
Comments	Type: AT
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Air Tool
Tool Type	Pneumatic Hand Tool
UPC	822348563852
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Engineering Number [AT-1752](#)

Reference - Drawing Numbers

Application Tooling Documents [ATS-640071200-001](#), [TM-192790001](#), [TM-192790001SP](#), [TM-640160065](#), [TM-640160065CN](#), [TM-640160065DE](#), [TM-640160065FR](#), [TM-640160065IT](#), [TM-640160065JP](#), [TM-640160065KR](#), [TM-640160065MY](#), [TM-640160065PL](#), [TM-640160065RU](#), [TM-640160065SK](#), [TM-640160065SP](#), [TM-640160065TH](#), [TM-640160065TW](#), [TM-640160065VN](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/30/2017 (7 July 2017)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Contained

Search Parts in this Series

[207129 Series](#)

Use With

Molex AT-200 HandHeld Pneumatic Tool
[192790001](#)

Application Tooling | **FAQ**

Description | **Product #**

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.51mm [190160035](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160037](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Krimptite Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab 2.79 x 0.81mm [190160039](#)

Box, Tab 4.75 x
0.51mm
Krimptite Quick 190160040
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 4.75 x
0.81mm
Krimptite Quick 190160081
Disconnect,
Female, for 12-14
(3.30-2.00mm²) Wire,
Box, Tab 4.75 x
0.51mm
Krimptite Quick 190160082
Disconnect,
Female, for 12-14
(3.30-2.00mm²) Wire,
Box, Tab 4.75 x
0.81mm
Krimptite Quick 190160085
Disconnect,
Female, for 12-14
(3.30-2.00mm²) Wire,
Box, Tab 6.35 x
0.81mm
Krimptite Quick 190160111
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 6.35 x
0.81mm
Krimptite Quick 190220004
Disconnect,
Male, for 18-22
(0.80-0.35mm²) Wire,
Box, Tab 6.35 x
0.81mm
Krimptite Quick 190220006
Disconnect,
Male, for 18-22
(0.80-0.35mm²) Wire,
Box, Tab 4.75 x
0.51mm
Krimptite Quick 190220018
Disconnect, Male,
for 14-16 AWG Wire,
Box
Krimptite Quick 190220022
Disconnect,
Male, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 4.75 x
0.51mm
Krimptite Snap 190370004
Plug Receptacle,
for 14-16 AWG
Wire, Box, 16.26mm
Length
Krimptite Snap 190370006
Plug Receptacle,
for 14-16 AWG
Wire, Box, 17.80mm
Length

Krimptite Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 6 (M3.5)	<u>190740001</u>
Krimptite Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 8 (M4)	<u>190740004</u>
Krimptite Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 10 (M5)	<u>190740007</u>
Krimptite Steel Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 6 (M3.5)	<u>190740009</u>
Krimptite Steel Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 8 (M4)	<u>190740011</u>
Krimptite Steel Star Ring Tongue Terminal for 18-22 AWG Wire, Stud Size 10 (M5)	<u>190740013</u>
Krimptite Star Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 6 (M3.5)	<u>190740015</u>
Krimptite Star Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 8 (M4)	<u>190740017</u>
Krimptite Star Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 10 (M5)	<u>190740019</u>
Krimptite Steel Star Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 6 (M3.5)	<u>190740021</u>
Krimptite Steel Star Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 8 (M4)	<u>190740023</u>
Krimptite Steel Star Ring Tongue Terminal for 14-16 AWG Wire, Stud Size 10 (M5)	<u>190740025</u>

This document was generated on 01/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION