

客户名称/CUSTOMER:
客户代码/CUSTOMER CODE:

Sinotelectronics Inc.

承 认 书

PRODUCT SPECIFICATION
Multi-Purpose LCD PC Control Board

产品名称/DESCRIPTION: KeyPCB V1.1 SPEC
客户型号/CUSTOMER MODEL: _____
承制方型号/MANUFACTURER MODEL: KeyPCB V1.1 SPEC
日 期/DATE: 2012/4/9

客户确认/CUSTOMER APPROVED

采购部 PURCHING	品管部 QC	研发部 RD	签章

承制方确认/MANUFACTURER

拟制 DRAWIN	审核 CHECKE	批准 RATIFY	签章

CONTENTS

TITLE	PAGE
CONTENTS	page 1 of 3
RECORD OF REVISIONS	page 1 of 3
GENERAL DESCRIPTION	page 2 of 3
FUNCTION LAYOUT	page 2 of 3
INTERFACE DEFINITION	page 2 of 3
CONTROLLER DIMENSIONS	page 3 of 3
OPERATION REQUIREMENT	page 3 of 3

RECORD OF REVISIONS

REVISION NO.	DATE	PAGE	DESCRIPTION


1. GENERAL DESCRIPTION

KeyPCB V1.1 is a key board for multi-purpose LCD monitor.

2. FUNCTION LAYOUT

All of pictures below are only for reference. Please take the actual objects as a standard.

Picture of KeyPCB V1.1



3. INTERFACE DEFINITION


CN1 (10PIN/2.0) KEY CONTROL INTERFACE

NO.	SYMBOL	DESCRIPTION
1	AUTO	Auto Key
2	GND	Ground
3	Right	Right Key
4	Select	Select Key
5	ON/OFF	ON/OFF Key
6	MENU	MENU Key
7	Left	Left Key
8	GND	Ground
9	Green_Led	Green Indicator
10	Orange_Led	Orange Indicator

4. CONTROLLER DIMENSIONS

The dimension is identical to the actual objects. But maybe exist the slight error of measures about 1%.It is allowed in design.

about 1%.It is allowed in design.



5. OPERATION REQUIREMENT

- Do not pressed and distorted.
- Keep away from static and water.
- Relative humidity : $\leq 95\%$
- Storage temperature: $-10^{\circ}\text{C} \sim +55^{\circ}\text{C}$
- Operation temperature: $0^{\circ}\text{C} \sim +40^{\circ}\text{C}$

- Do not pressed and distorted.
- Keep away from static and water.
- Relative humidity : $\leq 95\%$
- Storage temperature: $-10^{\circ}\text{C} \sim +55^{\circ}\text{C}$
- Operation temperature: $0^{\circ}\text{C} \sim +40^{\circ}\text{C}$