








































打孔2.2m

389.5mm

打孔4m

300mm

  FWHM: 31° 5050 led Material: PC Mold no&Model number: L207-046 LD5050-4C1-T30	  FWHM: 63° 4X3030led Material: PC Mold no&Model number: L207-045 LD5050-4C1-T60	  FWHM: 93° 4X3030led Material: PC Mold no&Model number: L207-043 LD5050-4C1-T90	  FWHM: 111° 4X3030led Material: PC Mold no&Model number: L207-044 LD5050-4C1-T120
  FWHM: 7.4° 3535 led Material: PC Mold no&Model number: L207-2-0415 (S020-74) LD5050-0415-T7 (LD5050-4C1-T10)	  FWHM: T2M 65°x155° FULL cutoff Material: PC Mold no&Model number: L207-048 (S020-60) LD5050-0408C-T2M-FCO with RCOOLA logo	  FWHM: T2M 65°x155° FULL cutoff Material: PC Mold no&Model number: L207-0413 (S020-60) LD5050-0413-T2M-FCO	  FWHM: T2M 60°x155° FULL cutoff Material: PC Mold no&Model number: L207-049 (S020-57) LD5050-0409C-T2M-DQ LD5050-4H1-T2M-DQ
  FWHM: T2S 63°x163° Material: PC Mold no&Model number: L207-0422 LD5050-0422-T2M	  FWHM: T4M 120°x150° (4X3030 led) Material: PC Mold no&Model number: L207-047 LD5050-4C1-T4M	  FWHM: T3M 60°x145° Material: PC Mold no&Model number: L207-0410 (S020-59) " LD5050-0410C-T3M-DQ (LD5050-4H1-T3M-DQ)"	  FWHM: T3M 75°x145° Material: PC Mold no&Model number: L207-0411 (S020-52)" LD5050-0411C-T3M-FCO (LD5050-4C1-T3M-FCO)
  FWHM: T3M 67°x163° Material: PC Mold no&Model number: L207-0421 (S020-88) LD5050-4C1-T3M-HY01	  FWHM: T3M 97°x163° Material: PC Mold no&Model number: L207-0423 LD5050-0423-T3M	  FWHM: T3M 100°x160° Material: PC Mold no&Model number: L207-0424 LD5050-0424-T3M	  FWHM: T3VS 130°x150° (4X3030 led) Material: PC Mold no&Model number: L207-042 LD5050-4C1-T3M
  FWHM: T3VS 50°x95° Material: PC Mold no&Model number: L207-0412 (S020-56)" LD5050-0412C-T4-DQ (LD5050-4C1-T4S)	  FWHM: T3VS 30°x125° Material: PC Mold no&Model number: L207-0414 (S020-78) QCD5050-0414-T3VS-A (QCD5050-4C1-T3VS)	  FWHM: T3VS 25°x130° Material: PC Mold no&Model number: L207-0418 (S020-85) QCD5050-0418-T3VS-B (QCD5050-4C1-T3VS-B)	  FWHM: T3VS 33°x110° Material: PC Mold no&Model number: L207-0420 (S020-87) QCD5050-0420-T3VS-C (QCD5050-4C1-T3VS-C)





















4in1

打孔2.2m

389.5mm

打孔4m

300mm

 FWHM: 31° Material: PC Mold no&Model number: L207-2-066 LD5050-6C1-T30 (5050 led)	 FWHM: 63° (4X3030 led) Material: PC Mold no&Model number: L207-065 LD5050-6C1-T60	 FWHM: 93° (4X3030 led) Material: PC Mold no&Model number: L207-063 LD5050-6C1-T90	 FWHM: 110° (4X3030 led) Material: PC Mold no&Model number: L207-064 LD5050-6C1-T120
 FWHM: T3VS 115°x150° FULL cutoff(4X3030 led) Material: PC Mold no&Model number: L207-061 LD5050-6C1-T2M	 FWHM: T3VS 125°x150° FULL cutoff(4X3030 led) Material: PC Mold no&Model number: L207-062 LD5050-6C1-T3M	 FWHM: T4S 120°x150°Semi Cutoff Material: PC Mold no&Model number: L207-067 LD5050-6C1-T4M (5050 led)	 FWHM: T2M 85°x150° FULL cutoff Material: PC Mold no&Model number: L207-0628 (L207-0613) LD5050-0628-T2M (LD5050-6C1-T2M-F-FCO)
 FWHM: T2M 65°x155° FULL cutoff Material: PC Mold no&Model number: L207-0610 (S020-61) LD5050-6C1-T2M-E-FCO	 FWHM: T2M 60°x155° FULL cutoff Material: PC Mold no&Model number: L207-0611 (S020-58) * LD5050-6H1-T2M-DQ01 LD5050-6H1-T2M-DQ*	 FWHM: T2M 95°x160° FULL cutoff Material: PC Mold no&Model number: L207-068 LD5050-6H1-T2	 FWHM: T2M 80°x155°FULL cutoff (clear/transparent) Material: PMMA Mold no&Model number: L207-0621 LD5050-0621-T2M
 FWHM: T2M 65°x155°FULL cutoff Material: PC Mold no&Model number: L207-0622 LD5050-0622-T2M-E2	 FWHM: T2M 60°x155°FULL cutoff Material: PC Mold no&Model number: L207-0623 LD5050-0623-T2M-DQ02	 FWHM: T2M 90°x155° FULL cutoff Material: PC Mold no&Model number: L207-0627 LD5050-0627-T2M	 FWHM: T2M 100°x155° Semi Cutoff (4*2835 led) Material: PC Mold no&Model number: L207-0617 (S020-96) LD5050-0617-T2M-GLT01 (LD5050-6C1-T2M-F)
 FWHM: T1S 85°x152° FULL cutoff Material: PC Mold no&Model number: L207-0616 (S020-93) LD5050-0616-T1S (LD5050-6C1-T95x145)	 FWHM: T2S 70°x150°FULL cutoff Material: PC Mold no&Model number: L207-0619 (S020-70) LD5050-0619-T2S (LD5050-6C1-T2S)	 FWHM: T2S 65°x152°FULL cutoff Material: PC Mold no&Model number: L207-0618 (S023-83) LD5050-0618-T2S (LD5050-6H1-T2S-0618)	 FWHM: T2S 45°x150° FULL cutoff Material: PC Mold no&Model number: L207-0620 (S023-84) LD5050-0620-T2S-HY02 (LD5050-6H1-T2S-HY02)


6in1

打孔2.2m

389.5mm

打孔4m-

300mm
















8in1

打孔4m

打孔2.2m

389.5mm

300mm

 FWHM: T2M 84×156° Semi Cutoff Material: PC Mold no&Model number: L207-1212 LD5050-1212-T2M-B50	 FWHM: 60° Material: PC Mold no&Model number: L207-127 LD5050-12C1-T60-B50	 FWHM: 90° Material: PC Mold no&Model number: L207-128 LD5050-12C1-T90-B50	 FWHM: T2M 90×155° Full Cutoff, 5050 leds Material: PC Mold no&Model number: S028-33 LD5050-12H1-T2M-D *Sample mold
 FWHM: 26° 3030 led Material: PC Mold no&Model number: L207-126 LD5050-12C1-T30	 FWHM: 64° Material: PC Mold no&Model number: L207-125 LD5050-12C1-T60	 FWHM: 92° Material: PC Mold no&Model number: L207-123 LD5050-12C1-T90	 FWHM: 109° Material: PC Mold no&Model number: L207-124 LD5050-12C1-T120
 FWHM: T2M 80×150° FULL cutoff Material: PC Mold no&Model number: L207-129 with RCOOLA logo LD5050-12C1-T2M-B	 FWHM: T3M 90×145° FULL cutoff Material: PC Mold no&Model number: L207-1210 (S023-61) LD5050-12C1-T3M-B	 FWHM: T2VS 100×150° FULL cutoff Material: PC Mold no&Model number: L207-121 LD5050-12C1-T2M	 FWHM: T3VS 110×150° FULL cutoff Material: PC Mold no&Model number: L207-122 LD5050-12C1-T3M
 FWHM: T1VS 11×12° Material: PC Mold no&Model number: L207-2-0416 (S020-79) QCD5050-0416-T1VS-A (QCD5050-4C1-T1S)	 FWHM: T1VS 15×60° Material: PC Mold no&Model number: L207-2-0417 (S020-83) QCD5050-0417-T1VS-B (QCD5050-4C1-T30×60)	 FWHM: T1VS 40×40° Material: PC Mold no&Model number: L207-2-0419 (S020-89) QCD5050-0419-T1VS-C (QCD5050-4C1-T1VS-C)	
























12in1

打孔2.2m

389.5mm

打孔4m

300mm

  FWHM: T2M 90×155° Semi Cutoff 3030 leds Material: PC Mold no&Model number: L207-141 LD5050-14H1-T2M *Sample mold	  FWHM: T2M 48×162° Semi Cutoff 3030 leds Material: PC Mold no&Model number: S023-69 LD5050-14H1-T2S *Sample mold	  FWHM: T2S 92×155° Semi cutoff 5050 leds Material: PC Mold no&Model number: S028-51 LD5050-14H1-T2M-C *Sample mold	  FWHM: T2VS 62×157° FULL cutoff Material: PC, 5050 led Mold no&Model number: L207-9-0615 (S020-90) LD5050-0615-T2S (LD5050-6H1-T2S-01)	  FWHM: T3S 80×162° FULL cutoff 5050 led Material: PC Mold no&Model number: L207-0625 (S020-71) LD5050-0625-T3S (LD5050-6C1-T3S)	  FWHM: T3M 75×150° Semi Cutoff 5050 led Material: PC Mold no&Model number: L207-0612 (S020-53) LD5050-6C1-T3M-B-FCO	  FWHM: T3M 75×150° Semi Cutoff 5050 led Material: PC Mold no&Model number: L207-0624 LD5050-0624-T3M-B2
  FWHM: TS 150×150° FULL cutoff 5050 led Material: PC Mold no&Model number: L207-0614(S020-66) LD5050-0614-TS (LD5050-6C1-TS)						
  FWHM: 30° 5050 led Material: PC Mold no&Model number: S033-45 LD5050-6H1-T30-B *Sample mold	  FWHM: 60° 5050 led Material: PC Mold no&Model number: S033-46 LD5050-6H1-T60-B *Sample mold	  FWHM: 90° 5050 led Material: PC Mold no&Model number: S033-47 LD5050-6H1-T90-B *Sample mold	  FWHM: 120° 5050 led Material: PC Mold no&Model number: S033-48 LD5050-6H1-T120-B *Sample mold			
  FWHM: 10° XPE/3535 led Material: PC Mold no&Model number: S033-44 LD5050-6H1-T10 *Sample mold						

14in1

300mm


打孔4m

打孔2.2m

389.5mm

	FWHM: 26° Material: PC Mold no&Model number: L207-166 LD5050-16C1-T30		FWHM: 64° Material: PC Mold no&Model number: L207-165 LD5050-16C1-T60		FWHM: 91° Material: PC Mold no&Model number: L207-163 LD5050-16C1-T90		FWHM: 109° Material: PC Mold no&Model number: L207-164 LD5050-16C1-T120
	FWHM: 17° Material: PC Mold no&Model number: L207-167 LD5050-16C1-T15		FWHM: 26° Material: PC Mold no&Model number: L207-1611 LD5050-16C1-T25		FWHM: 30×105° Material: PC Mold no&Model number: L207-168 LD5050-16C1-T30X90		FWHM: 47° Material: PC Mold no&Model number: L207-1614 (S023-28) LD5050-16C1-T45
	FWHM: 50×120° Material: PC Mold no&Model number: L207-1610 LD5050-16C1-T50X120		FWHM: T3VS 100×150° FULL cutoff Material: PC Mold no&Model number: L207-161 LD5050-16C1-T2M		FWHM: LD5050-16C1-T2M-B Material: PC Mold no&Model number: L207-1612 T2M 80×155° FULL cutoff		FWHM: T2M 80×155° FULL cutoff Material: PC Mold no&Model number: L207-1615 LD5050-16C1-T2M-C
	FWHM: T2M 65×160° FULL cutoff Material: PC Mold no&Model number: L207-1619 (S023-74) LD5050-16C1-T2M-D		FWHM: T3M 95×150° Non Cutoff Material: PC Mold no&Model number: L207-169 LD5050-16C1-T3M-B		FWHM: T4VS 110×150° FULL cutoff Material: PC Mold no&Model number: L207-162 LD5050-16C1-T3M		FWHM: T4M 115×160° Non Cutoff Material: PC Mold no&Model number: L207-1613 (S020-45) LD5050-16C1-T4M
	FWHM: T5S 160×160° Semi Cutoff 3030 led Material: PC Mold no&Model number: L207-1616(S020-64) LD5050-1616-T5 (LD5050-16C1-T5)		FWHM: T3VS 35×75° FULL cutoff 3030 led Material: PC Mold no&Model number: L207-1617 LD5050-1617-T3VS		FWHM: T2VS 25×75° FULL cutoff 3030 led Material: PC Mold no&Model number: L207-1618 (S023-67) LD5050-1618-T2VS (LD5050-16C1-T2VS)		

16in1








24in1

孔位4mm

350.5mm


270mm



12-L173(1)

350.5mm





270mm



12-L173(2)

350.5mm








270mm



24-L173

350.5mm

270mm



24-L173(2)