


Ver.	modify NO.	Details	Area	P.I.C	Date



Front View

Side View

Back View



The copper foil is wrapped on all four sides (there will be concave and convex wrinkles when the copper foil is attached, and the copper foil chamfered will have damage and overlap). Due to the thin thickness of the glass, the copper foil cannot be adhered



Technical Datasheet:

1. Structure: Cover Glass+EMI Film+LCM Optical Bonding
2. Cover Glass: 1.1mm Tempered glass
3. LCD Model No.: G185HAN01.4
4. CG Light Transmittance: ≥80%
5. Working Temperature: -20°C~+60°C, ≤85%RH
6. Storage Temperature: -20°C~+60°C, ≤85%RH
7. Unmarked Tolerance: ±0.5mm
8. All material used conform to RoHS standards

Part No.		BTP-CGM-G1-18.5-EMI-SN05-V02			
Product Name:		Drawing No.	GM185241023SN05V02		
18.5 inch Display		Project Code.	GM185SN05		
Business Unit:		Period Mark	View Angle	Ratio	
SNT-BTP		A		1:1	
Workmanship:	BOM Code	2.03.185.01.0105		Page 1	Total 1 Page
Standardization:	Product Series	BTP-CGM			
Released by:	思诺泰科电子(苏州)有限公司 SINOTRONICS INC.				