

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0011030043](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: [Extraction Tool](#)

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207121
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	800754211260
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Engineering Number [HT60923A](#)

Reference - Drawing Numbers

Application Tooling Documents [ATS-011030043-001](#), [TM-638000029-001](#), [TM-638000029CN-001](#), [TM-638000029DE-001](#), [TM-638000029FR-001](#), [TM-638000029IT-001](#), [TM-638000029JP-001](#), [TM-638000029KR-001](#), [TM-638000029MY-001](#), [TM-638000029PL-001](#), [TM-638000029RU-001](#), [TM-638000029SK-001](#), [TM-638000029SP-001](#), [TM-638000029TH-001](#), [TM-638000029TW-001](#), [TM-638000029VN-001](#)



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - D(2020)4578-DC (25 June 2020)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[207121](#) Series

Application Tooling

Description

FAQ

Product #

Micro-Fit High-Current RMF Crimp Terminal, Female, 2.540µm Bright Tin Plating, 18 AWG	2039510001
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 26-30 AWG	2064600011
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 26-30 AWG	2064600012
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 20-24 AWG	2064600021
Micro-Fit+ Crimp Terminal, Female,	2064600022

0.38µm Gold (Au)
Plating, 20-24 AWG
Micro-Fit+ Crimp 2064600031
Terminal, Female,
Tin (Sn) Plating, 18
AWG
Micro-Fit+ Crimp 2064600032
Terminal, Female,
0.38µm Gold (Au)
Plating, 18 AWG
Micro-Fit+ Crimp 2064600041
Terminal, Female,
Tin (Sn) Plating, 16
AWG
Micro-Fit+ Crimp 2064600042
Terminal, Female,
0.38µm Gold (Au)
Plating, 16 AWG
Micro-Fit 3.0 Crimp 430300001
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0 Crimp 430300002
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel
Micro-Fit 3.0 Crimp 430300003
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel
Micro-Fit 3.0 Crimp 430300004
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel
Micro-Fit 3.0 Crimp 430300005
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel
Micro-Fit 3.0 Crimp 430300006
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel
Micro-Fit 3.0 Crimp 430300007
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag
Micro-Fit 3.0 Crimp 430300008
Terminal, Female,
with Select Gold (Au)
Plated Phosphor

Bronze Contact,
20-24 AWG, Bag
Micro-Fit 3.0 Crimp 430300009
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Bag
Micro-Fit 3.0 Crimp 430300010
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag
Micro-Fit 3.0 Crimp 430300011
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0 Crimp 430300012
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0 Crimp 430300038
Terminal, Female,
with Tin (Sn)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel
Micro-Fit 3.0 430300039
Crimp Terminal,
Female, with 0.38 μ m
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel
Micro-Fit 3.0 430300040
Crimp Terminal,
Female, with 0.76 μ m
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel
Micro-Fit 3.0 Crimp 430310001
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0 Crimp 430310002
Terminal, Male,
with 0.38 μ m Select
Gold (Au) Plated

Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0 Crimp [430310003](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0 Crimp [430310004](#)
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit 3.0 Crimp [430310005](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit 3.0 Crimp [430310006](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit 3.0 Crimp [430310007](#)
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag

Micro-Fit 3.0 Crimp [430310008](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag

Micro-Fit 3.0 Crimp [430310009](#)
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag

Micro-Fit 3.0 Crimp [430310010](#)
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0 Crimp [430310011](#)
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0 Crimp [430310012](#)
Terminal, Male,

with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0 Crimp 430310021

Terminal, Male,
with Tin (Sn)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel

Micro-Fit 3.0 430310022

Crimp Terminal,
Male, with 0.38µm
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel

Micro-Fit 3.0 430310023

Crimp Terminal,
Male, with 0.76µm
Select Gold (Au)
Plated Phosphor
Bronze Contact,
18 AWG, .073in /
1.85mm Max
Insulation Outside
Diameter, Reel

Micro-Fit TPA Crimp 430315003

Terminal, Male, with
Tin (Sn) Pre-plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit TPA Crimp 430315004

Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit TPA Crimp 430315005

Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit TPA Crimp 430315006

Terminal, Male, with
2.54µm Matte Tin
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel

Micro-Fit TPA Crimp 430315007

Terminal, Male, with
Tin (Sn) Pre-plated
Phosphor Bronze

Contact, 26-30 AWG,
Reel

Micro-Fit TPA Crimp 430315008
Terminal, Male,
with 0.38µm Select
Gold (Au) Plated
Phosphor Bronze

Contact, 26-30 AWG,
Reel

Micro-Fit TPA Crimp 430315009
Terminal, Male,
with 0.76µm Select
Gold (Au) Plated
Phosphor Bronze

Contact, 26-30 AWG,
Reel

Micro-Fit TPA Crimp 430315010
Terminal, Male, with
2.54µm Matte Tin
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel

Micro-Fit 3.0 Crimp 457730001
Terminal, Female,
with Lubricant, with
Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0 Crimp 457730003
Terminal, Female,
with Lubricant, with
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0 Crimp 457730006
Terminal, Female,
with Lubricant, with
Gold (Au) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit 3.0 Crimp 457730053
Terminal, Female,
with Lubricant, with
Gold (Au) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit RMF 462350001
Reduced Mating
Force, Crimp
Terminal, Female,
with 0.38µm
Selective Gold (Au)
over Nickel (Ni),
20-24 AWG, without
Lubricant

Micro-Fit RMF 462350002
Reduced Mating
Force, Crimp
Terminal, Female,
with 0.76µm
Selective Gold (Au)

over Nickel (Ni),
20-24 AWG, without
Lubricant
Micro-Fit RMF 462350003
Reduced Mating
Force, Crimp
Terminal, Female,
with 0.38µm
Selective Gold (Au)
over Nickel (Ni),
26-30 AWG, without
Lubricant
Micro-Fit RMF 462350004
Reduced Mating
Force, Crimp
Terminal, Female,
with .0.76µm
Selective Gold (Au)
over Nickel (Ni),
26-30 AWG, without
Lubricant
Micro-Fit RMF 462355001
High Mating
Cycle, Reduced
Mating Force,
Crimp Terminal,
Female, with 0.38µm
Selective Gold (Au)
over Nickel (Ni),
20-24 AWG, with
Lubricant
Micro-Fit RMF 462355002
High Mating
Cycle, Reduced
Mating Force,
Crimp Terminal,
Female, with 0.76µm
Selective Gold (Au)
over Nickel (Ni),
20-24 AWG, with
Lubricant
Micro-Fit RMF 462355003
High Mating
Cycle, Reduced
Mating Force,
Crimp Terminal,
Female, with 0.38µm
Selective Gold (Au)
over Nickel (Ni),
26-30 AWG, with
Lubricant
Micro-Fit RMF 462355004
High Mating Cycle,
Reduced Mating
Force, Crimp
Terminal, Female,
with .0.76µm
Selective Gold (Au)
over Nickel (Ni),
26-30 AWG, with
Lubricant
1.25mm Pitch, 500588000
PicoBlade Female
Crimp Terminal, Tin

(Sn) Plating, 28-32
AWG, Reel
1.25mm Pitch, 500588100
PicoBlade Female
Crimp Terminal, Tin
(Sn) Plating, 28-32
AWG, Bag
1.25mm Pitch, 500618000
Board-in Male Crimp
Terminal, Vertical,
28-32 AWG, Reel,
for 51022 Housing
1.25mm Pitch, 500798000
PicoBlade Female
Crimp Terminal, Tin
(Sn) Plating, 26-28
AWG, Reel
1.25mm Pitch, 500798100
PicoBlade Female
Crimp Terminal, Tin
(Sn) Plating, 26-28
AWG, Bag
1.25mm Pitch, 501258000
PicoBlade Male
Crimp Terminal, Tin
(Sn) Plating, 26-28
AWG, Reel
1.25mm Pitch, 501258100
PicoBlade Male
Crimp Terminal, Tin
(Sn) Plating, 26-28
AWG, Bag
1.25mm Pitch, 501338000
PicoBlade Male
Crimp Terminal, Tin
(Sn) Plating, 28-32
AWG, Reel
1.25mm Pitch, 501338100
PicoBlade Male
Crimp Terminal, Tin
(Sn) Plating, 28-32
AWG, Bag
2.00mm Pitch, Micro-502128000
Latch Female Crimp
Terminal, Tin (Sn)
Plating, 24-30 AWG,
Reel
2.00mm Pitch, Micro-502128100
Latch Female Crimp
Terminal, Tin (Sn)
Plating, 24-30 AWG,
Bag
2.00mm Pitch, Micro-503728000
Latch Female Crimp
Terminal, Tin (Sn)
Plating, 22-26 AWG,
Reel
2.00mm Pitch, Micro-503728100
Latch Female Crimp
Terminal, Tin (Sn)
Plating, 22-26 AWG,
Bag
OBD-II Crimp 504208000
Terminal, Female,
50420, 4.00mm Pitch

DuraClik Crimp 5600850101
Terminal, Female,
22-26 AWG, Reel

This document was generated on 01/07/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION