

(1) EU-TYPE EXAMINATION CERTIFICATE



- (2) Equipment and Protective Systems intended for use in Potentially Explosive Atmosphere - **Directive 2014/34/EU**
- (3) EU-Type Examination Certificate Number

TÜV 20 ATEX 8610 X

Issue: 00

- (4) Equipment: **Ex flameproof armoured cable gland**
Type(s): **BST-Exd-SFAC series, BST-Exd-SSFA series, BST-Exd-DSAC series and BST-Exd-DSA series**
- (5) Manufacturer: **Beisit Electric Tech (Hangzhou) Co., Ltd.**
- (6) Address: **No. 1 Tangmei Road, Yuhang Economic-Technological Development Area, 311100 Hangzhou, Zhejiang, China**
- (7) This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- (8) The TÜV Rheinland Zertifizierungsstelle für Explosionsschutz of TÜV Rheinland Industrie Service GmbH, Notified Body No. 0035 in accordance with Article 21 of the Council Directive 2014/34/EU of 26th February 2014, certifies this product which has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmosphere, given in Annex II to the Directive.
The examination and test results are recorded in the confidential report GC/Ex8610.00/20
- (9) Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule of this certificate, has been assessed by reference to:
EN IEC 60079-0:2018 EN 60079-1:2014 EN 60079-31:2014
- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.
- (11) This EU-Type Examination Certificate relates only to the design and specification for construction of the equipment or protective system. It does not cover the process for actual manufacture or supply of the equipment or protective system, for which further requirements of the directive are applicable.
- (12) The marking of the equipment shall include the following:



II 2 G Ex db IIC Gb
II 2 D Ex tb IIIC Db IP66/IP68

TÜV Rheinland Zertifizierungsstelle für Explosionsschutz

Cologne, 2021-07-28

Dipl.-Ing. He Mei



This EU-Type Examination Certificate without signature and stamp shall not be valid.
This EU-Type Examination Certificate may be circulated only without alteration. Extracts or alterations are subject to approval by the TÜV Rheinland Industrie Service GmbH TÜV Rheinland Group Am Grauen Stein 51105 Köln
Tel. +49 (0) 221 806-0 Fax. + 49 (0) 221 806 114

(13) Annex

(14) **EU Type Examination Certificate**
TÜV 20 ATEX 8610 X Issue: 00

(15) Description of equipment

15.1 Equipment and type:

Ex flameproof armoured cable gland

Type(s): BST-Exd-SFAC series, BST-Exd-SSFA series, BST-Exd-DSAC series
and BST-Exd-DSA series

15.2 Description

General product information

The BST-Exd series armoured cable glands are metallic and are intended to terminate armoring cables into Ex db or Ex tb enclosures without compromising the explosion protection provided by the enclosures in accordance with relevant codes of practice.

The model BST-Exd-SSFA provides single seal. The structure consists of two fittings bodies (metal), a pressing nut (metal), a circular sealing ring (non-metal), an O-ring(non-metal), two armored rings(non-metal), two flat sealing gaskets (non-metal) and a packing barrel (metal). Provides M and NPT threads for connection.

As the cable glands of BST-Exd-SSFA, model BST-Exd-SFAC provides a strain relief nut for replacement of pressure nut.

The model BST-Exd-DSA provides double seal. The structure consists of two fittings body (metal), a pressure nut (metal), two circular sealing rings (non-metal), two armoured rings (non-metal) and two flat sealing gaskets (non-metal). Provides M and NPT threads for connection.

As the cable glands of BST-Exd-DSA, model BST-Exd-DSAC provides a strain relief nut for replacement of pressure nut.

Suit for explosive atmosphere zone 1, zone 2, zone 21 and zone 22; applicable to IIC gas zone and IIIC dust zone.

This EU Type Examination Certificate without signature and official stamp shall not be valid.
This certificate may be circulated without alteration. Extracts or alterations are subject to approval by:
Zertifizierungsstelle of TÜV Rheinland Industrie Service GmbH

Environmental data

Service temperature: -60°C to +130°C
Ingress protection: IP66/IP68 (10m, 8h)

(16) Test-Report No. GC/Ex8610.00/20

(17) Special Conditions for safe use

1. Specific guidance noted to contact the original manufacturer for information on the dimension of the flameproof joints.
2. Service temperature: -60 to +130°C.

(18) Basic Safety and Health Requirements

Covered by afore mentioned standard

TÜV Rheinland Zertifizierungsstelle für Explosionsschutz

Cologne, 2021-07-28

Dipl.-Ing. He Mei



This EU Type Examination Certificate without signature and official stamp shall not be valid.
This certificate may be circulated without alteration. Extracts or alterations are subject to approval by:
Zertifizierungsstelle of TÜV Rheinland Industrie Service GmbH