

编号	IF (mA)	VF (V)	P (mW)	IR (uA)	$\Phi$ (lm)	$\Phi_e$ (mW)	光效 (lm/W)	$I_p$	x	y	TLCI-2012	$T_c$ (K)
1	1999	5.763	11523	0	1535	5518	133.21	41435	0.3227	0.3349	95	5963
2	1999	5.752	11500	0	1548	5498	134.57	41878	0.3242	0.3403	95	5873
3	1999	5.784	11565	0	1567	5599	135.52	42368	0.3262	0.3394	95	5785
4	2000	5.755	11509	0	1528	5493	132.77	41221	0.3227	0.3351	95	5958
5	2000	5.776	11551	0	1539	5485	133.24	41580	0.3274	0.3408	95	5727

Dominant Wth(nm)	色纯度(%)	Peak Wth(nm)	半波宽(nm)	Ra	R1	R2	R3	R4	R5	R6	R7	R8
493.6	3.5	447.8	17.8	91.8	93.73	91.95	88.66	92.09	93.52	88.12	93	93.33
501.8	2.8	448.5	18.4	91.7	92.37	91.94	90.17	92.51	92.26	88.24	94.23	92.11
503.1	2.2	447.1	17.5	91.4	93.17	91.54	88.68	91.67	93.02	87.91	92.65	92.61
493.9	3.5	447.3	18.1	91.9	93.71	92	88.82	92.16	93.51	88.2	93.11	93.31
509.3	1.8	447.1	17.4	91	92.84	91.18	88.41	91.26	92.72	87.6	92.23	92.12

R9	R10	R11	R12	R13	R14	R15	时间	SDCM	积分时间 (ms)	冲宽度 (ms)	灵敏度	模式
80.98	80.44	92.05	72.57	92.89	93.66	94.48	2022-09-30 16-55	5.8 Custom/6000K	30	60	低	快速
75.53	80.69	92.08	71.09	91.94	94.59	92.46	2022-09-30 16-56	3.9 Custom/6000K	30	60	低	快速
78.82	79.76	91.81	73.06	92.29	93.69	93.58	2022-09-30 16-56	6.0 Custom/6000K	30	60	低	快速
80.81	80.59	92.1	72.64	92.9	93.76	94.42	2022-09-30 16-56	5.7 Custom/6000K	30	60	低	快速
77.58	79.02	91.56	73.29	91.88	93.54	93.11	2022-09-30 16-56	6.4 Custom/6000K	30	60	低	快速