

## Data sheet

### DCCS2 BGT 19 inch 1RU subrack black

Page 1/5

P/N

130D2B1B-E


EAN 4250184153733

2017-15-08

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- 19 inch 1UH subassembly frame to mount up to eight DCCS2 subassemblies
- very high packaging density: up to 48 RJ45 ports or 48 fiber optic duplex couplers (96 fibers)
- black, powder coated steel sheet frame
- port numbering from 1 to 48
- port numbering remains in place when DCCS2 Twisted Pair and DCCS2 FO subassemblies are mounted
- enclosed grounding kit
- downward compatible to DCCS with low mounting effort
- mounting version: DCCS2, DCCS and double DCCS

## Technical Data

### General Data

Fields of application	Data center
Design	Subrack
Mounting style	1RU
Port numbering	yes
Color	black
Dimensions	
Dimension (L x W x H)	184.00 x 482.60 x 43.60 mm
Dimension (L x W x H)	7.244 x 19.00 x 1.717 in.
Inches	19 inches
Height unit	1RU
Installation depth	195.00 mm
Installation depth	7.677 in.
Labeling option	printed numbers

### Connections/interfaces

Ground connection	Grounding stud with grounding kit
-------------------	-----------------------------------

### Mechanical characteristics

Cut-out	DCCS2, DCCS and double DCCS
---------	-----------------------------

### Materials and material properties

Material - Subrack	sheet steel
Material - Subrack finish	black powder-coated

### Approvals

RoHS	compliant
------	-----------

### Classifications

ETIM 5.0	EC002697
ETIM 6.0	EC002697



### Technical Data

#### Packing details

Type of packaging	1 pc(s) / box
Packaging unit - Weight (gram)	1340.00 g
Packaging unit - Weight (pound)	2.95 lb
Packaging dimension (W x H x D)	532.00 x 245.00 x 48.00 mm
Packaging dimension (W x H x D)	20.945 x 9.646 x 1.89 in.



Data sheet

## DCCS2 BGT 19 inch 1RU subrack black

Page 4/5

P/N

130D2B1B-E

EAN 4250184153733

2017-15-08

### Accessories

P/N	Designation
130792	Mounting kit, cage nuts M6



**Illustrations**

Dimensional drawing

