

FIBOX

Enclosing innovations



Fibox Street and Technical Cabinet

FIBOX STREET AND TECHNICAL CABINET 2011

Fibox designs and manufactures enclosures, suitable for encapsulation and protection of equipment to be deployed even in exposed and demanding environments.

The latest addition to the family of enclosures from Fibox is the street and technical cabinet. The series is produced in maintenance and halogen-free, glass fibre reinforced polyester, which can fit discreetly into all kinds of environments. A robust and modern system that has been developed on the basis of many years of experience and know-how.

The Fibox standard street and technical cabinet programme is designed to save time during assembly and installation and can be used for the following applications:

- General fuse cabinet
- Cable distribution systems
- Meter cabinets
- Control cabinets for sewage and pump controls
- Control systems for traffic control
- Street lighting installations
- Telecom and broadband installations
- Cable TV installations
- Gas and district heating installations
- Industrial automation systems
- Urban renewal projects
- Distribution systems for market places and camp-sites
- Squares and pedestrian street solutions
- Ports and coastal environments

Fibox is your partner for all tasks with encapsulation.
Together we make your ideas and innovation into a success story.

Our general sales and delivery conditions are also available on www.fibox.co.uk

Yours sincerely,
Fibox Ltd

COPYRIGHT FIBOX A/S

For the sake of the catalogue structure and clarity, we have chosen to list the most important data for each product.

For a more in-depth technical description, refer to www.fibox.co.uk or the manufacturer's catalogues and website.

The company cannot be held responsible for errors, omissions and changes. Graphic design, production and copyright:

Fibox Ltd, We wish to point out that the drawings and images used are the property of our suppliers.

FIBOX

Enclosing innovations

ST - 2642.....	3
ST - 2658.....	4
ST - 2684	5
ST - 4042	6
ST - 4058	7
ST - 4084	8
ST - 4088/32	9
ST - 5342.....	10
ST - 5358.....	11
ST - 5384.....	12
ST - 5388/32.....	13
ST - 6644	14
ST - 6657.....	15
ST - 6688	16
ST - 6688/32.....	17
ST - 8042	18
ST - 8058	19
ST - 8084	20
ST - 8088/32	21
ST - 53+5388/32.....	22
ST - 66+4088/32	23
ST - 66+5388/32	24
ST - 80+4088/32.....	25
ST - 80+5388/32	26
ST - 80+8088/32	27
Street cabinets common accessories	29
Street cabinets Scale drawings.....	30-35



The street cabinet series is made of polyester.

Maintenance and halogen-free product that can fit into all kinds of environments.





The series can be used as ordinary fuse cabinets, cable distribution cabinets, control panels for waste water pump controls, traffic control cabinets and, not least, for telecom and broadband installations.

The ST series is designed to save time during assembly and installation.

Properties:

- Easy to populate
- Multiple applications with or without base units
- Internal protection can be supplied as standard
- Naturally good ventilation and 180 degree door opening
- Rail and protective systems can be supplied as standard
- Possibility for sealing and numerous locking systems
- Standard colour, RAL7035
- Halogen-free components
- Built according to EN 60439
- Protection class IP 44
- Impact resistance tested to IK 10 according to EN 62262
- Very good UV resistance tested according to UL746C
- Insulation voltage 500V
- Nominal amperage 630 Amps.
- Double insulated
- Combustible category FH2-25
- Hot-wire tested to 960 degrees in accordance with IEC 695-2





ST - 2642

	Type no.	Code	EAN code	Pack. size	Description
	STCP 2642	6801020	 6.418.074.034.793	1	Street cabinet with base STCP 2642 Cabinet HxWxD: 420x265x250 mm. Height incl. base: 1275mm, IP44
	STC 2642	6800001	 6.418.074.032.959	1	Street cabinet without base STC 2642 Cabinet HxWxD: 420x265x250 mm. Interior depth 225mm, IP44

ST - 2642 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 2642	6803230	 6.418.074.041.784	1	Mounting plate MPF 2642 10mm foam Forex plate Size 230x360 mm.
	MPI 2642	6803030	 6.418.074.038.531	1	Mounting plate MPI 2642 4mm PVC plate Size 230x360 mm.
	MPS 2642	6803130	 6.418.074.041.609	1	Mounting plate MPS 2642 2mm galvanised steel plate Size 230x360 mm.
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	STP 2642	6802001	 6.418.074.035.707	1	Street cabinet base STP 2642 HxWxD: 855x265x250 mm. IP44, IK10
	CHP 26	6803010	 6.418.074.041.388	1	Metal profile for cable holder, CHP 26
	CBB 26	6804008	 6.418.074.041.562	1	Copper rail STCP/STC size 26 Max. 400 A Size 40x5, length 172 mm.





ST - 2658

	Type no.	Code	EAN code	Pack. size	Description
	STCP 2658	6801021	 6.418.074.034.809	1	Street cabinet with base STCP 2658 Cabinet HxWxD: 580x265x250 mm. Height incl. base: 1435mm, IP44
	STC 2658	6800002	 6.418.074.032.973	1	Street cabinet without base STC 2658 Cabinet HxWxD: 580x265x250 mm. Interior depth 225mm, IP44

ST - 2658 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 2658	6803231	 6.418.074.041.791	1	Mounting plate MPF 2658 10mm foam Forex plate Size 230x520 mm.
	MPI 2658	6803031	 6.418.074.038.548	1	Mounting plate MPI 2658 4mm PVC plate 6 Size 230x520 mm.
	MPS 2658	6803131	 6.418.074.041.616	1	Mounting plate MPS 2658 2mm galvanised steel plate Size 230x520 mm.
	SMP 58	6803024	 6.418.074.037.992	1	Side profile for mounting plate for height 58
	STP 2642	6802001	 6.418.074.035.707	1	Street cabinet base STP 2642 HxWxD: 855x265x250 mm. IP44, IK10
	CHP 26	6803010	 6.418.074.041.388	1	Metal profile for cable holder, CHP 26
	CBB 26	6804008	 6.418.074.041.562	1	Copper rail STCP/STC size 26 Max. 400 A Size 40x5, length 172 mm.





ST - 2684

	Type no.	Code	EAN code	Pack. size	Description
	STCP 2684	6801022	 6.418.074.034.854	1	Street cabinet with base STCP 2684 Cabinet HxWxD: 840x265x250 mm. Height incl. base: 1695 mm., IP44
	STC 2684	6800003	 6.418.074.032.980	1	Street cabinet without base STC 2684 Cabinet HxWxD: 840x265x250 mm. Interior depth 225mm., IP44

ST- 2684 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 2684	6803232	 6.418.074.041.807	1	Mounting plate MPF 2684 10mm foam Forex plate Size 230x780 mm.
	MPI 2684	6803032	 6.418.074.038.555	1	Mounting plate MPI 4042 4mm PVC plate 6 Size 230 X 780 mm.
	MPS 2684	6803132	 6.418.074.041.623	1	Mounting plate MPS 2684 2mm galvanised steel plate Size 230x780 mm.
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	STP 2642	6802001	 6.418.074.035.707	1	Street cabinet base STP 2642 HxWxD: 855x265x250 mm. IP44, IK10
	CHP 26	6803010	 6.418.074.041.388	1	Metal profile for cable holder, CHP 26
	CBB 26	6804008	 6.418.074.041.562	1	Copper rail STCP/STC size 26 Max. 400 A Size 40x5, length 172 mm.





ST - 4042

	Type no.	Code	EAN code	Pack. size	Description
	STCP 4042	6801023	 6.418.074.034.861	1	Street cabinet with base STCP 4042 Cabinet HxWxD: 420x400x250 mm. Height incl. base: 1275mm, IP44
	STC 4042	6800004	 6.418.074.032.997	1	Street cabinet without base STC 4042 Cabinet HxWxD: 420x400x250 mm. Interior depth 225mm, IP44

ST - 4042 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 4042	6803233	 6.418.074.041.814	1	Mounting plate MPF 4042 10mm foam Forex plate Size 370x360 mm.
	MPI 4042	6803033	 6.418.074.038.562	1	Mounting plate MPI 4042 4mm PVC plate 6 Size 370x360 mm.
	MPS 4042	6803133	 6.418.074.041.630	1	Mounting plate MPS 4042 2mm galvanised steel plate Size 370x360 mm.
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	CHP 40	6803011	 6.418.074.035.981	1	Profile for cable holder CHP 40 except for 4088
	STP 4042	6802002	 6.418.074.035.714	1	Street cabinet base STP 4042 HxWxD: 855x400x250 mm. IP44, IK10
	CBB 42	6804009	 6.418.074.041.579	1	Copper rail STCP/STC size 42 Max. 400 A Size 40x5, length 307 mm.

ST - 4058

	Type no.	Code	EAN code	Pack. size	Description
	STCP 4058	6801024	 6.418.074.034.878	1	Street cabinet with base STCP 4058 Cabinet HxWxD: 580x400x250 mm. Height incl. base: 1435 mm., IP44
	STC 4058	6800005	 6.418.074.033.178	1	Street cabinet without base STC 4058 Cabinet HxWxD: 580x400x250 mm. Interior depth 225 mm., IP44

ST - 4058 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 4058	6803234	 6.418.074.041.821	1	Mounting plate MPF 4058 10mm foam Forex plate Size 370x520 mm.
	MPI 4058	6803034	 6.418.074.038.579	1	Mounting plate MPI 4058 4mm PVC plate 6 Size 370x520 mm.
	MPS 4058	6803134	 6.418.074.041.647	1	Mounting plate MPS 4058 2mm galvanised steel plate Size 370x520 mm.
	SMP 58	6803024	 6.418.074.037.992	1	Side profile for mounting plate for height 58
	CHP 40	6803011	 6.418.074.035.981	1	Profile for cable holder CHP 40 except for 4088
	STP 4042	6802002	 6.418.074.035.714	1	Street cabinet base STP 4042 HxWxD: 855x400x250 mm. IP44, IK10
	CBB 42	6804009	 6.418.074.041.579	1	Copper rail STCP/STC size 42 Max. 400 A Size 40x5, length 307 mm.





ST - 4084

	Type no.	Code	EAN code	Pack. size	Description
	STCP 4084	6801025	 6.418.074.034.885	1	Street cabinet with base STCP 4084 Cabinet HxWxD: 840x400x250 mm. Height incl. base: 1695 mm., IP44
	STC 4084	6800006	 6.418.074.033.291	1	Street cabinet without base STC 4084 Cabinet HxWxD: 840x400x250 mm. Interior depth 225 mm., IP44

ST - 4084 accessory





	Type no.	Code	EAN code	Pack. size	Description
	MPF 4084	6803235	 6.418.074.041.838	1	Mounting plate MPF 4084 10mm foam Forex plate Size 370x780 mm.
	MPI 4084	6803035	 6.418.074.038.586	1	Mounting plate MPI 4084 4mm PVC plate Size 370x780 mm.
	MPS 4084	6803135	 6.418.074.041.654	1	Mounting plate MPS 4084 2mm galvanised steel plate Size 370x780 mm.
	CHP 40	6803011	 6.418.074.035.981	1	Profile for cable holder CHP 40 except for 4088
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	STP 4042	6802002	 6.418.074.035.714	1	Street cabinet base STP 4042 HxWxD: 855x400x250 mm. IP44, IK10
	CBB 42	6804009	 6.418.074.041.579	1	Copper rail STCP/STC size 42 Max. 400 A Size 40x5, length 307 mm.

ST - 4088/32

	Type no.	Code	EAN code	Pack. size	Description
	STCP 4088/32	6801026	 6.418.074.034.892	1	Street cabinet with base STCP 4088/32 Cabinet HxWxD: 880x400x320 mm. Height incl. base: 1735 mm., IP44
	STC 4088/32	6801026	 6.418.074.034.892	1	Street cabinet without base STC 4088/32 Cabinet HxWxD: 880x400x320 mm. Interior depth 295 mm., IP44

ST - 4088/32 accessory





	Type no.	Code	EAN code	Pack. size	Description
	MPF 4088	6803236	 6.418.074.041.845	1	Mounting plate MPF 4088 10mm foam Forex plate Size 350x840 mm.
	MPI 4088	6803036	 6.418.074.038.593	1	Mounting plate MPI 4088 4mm PVC plate 6 Size 350x840 mm.
	MPS 4088	6803136	 6.418.074.041.661	1	"Mounting plate MPS 4088 2mm galvanised steel plate Size 350x840 mm.
	CHP 4088	6803012	 6.418.074.035.998	1	Metal profile for cable holder, CHP 4088
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	STP 4088/32	6802003	 6.418.074.035.721	1	Street cabinet base STP 4088/32 HxWxD: 850x400x320 mm. IP44, IK10
	CBB 4088	6804004	 6.418.074.041.524	1	Copper rail for STCP/STC 4088 Max. 400 A Size 40x5, length 355 mm.

	Type no.	Code	EAN code	Pack. size	Description
	STCP 5342	6801027	 6.418.074.035.332	1	Street cabinet with base STCP 5342 Cabinet HxWxD: 420x530x250 mm. Height incl. base: 1275mm, IP44
	STC 5342	6800008	 6.418.074.033.413	1	Street cabinet without base STC 5342 Cabinet HxWxD: 420x530x250 mm. Interior depth 225mm, IP44

ST - 5342 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 5342	6803237	 6.418.074.041.852	1	Mounting plate MPF 5342 10mm foam Forex plate Size 500x360 mm.
	MPI 5342	6803037	 6.418.074.038.609	1	Mounting plate MPI 5342 4mm PVC plate 6 Size 500x360 mm.
	MPS 5342	6803137	 6.418.074.041.678	1	Mounting plate MPS 5342 2mm galvanised steel plate Size 500x360 mm.
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	CHP 53	6803013	 6.418.074.036.155	1	Profile for cable holder CHP 53 except for 5388
	STP 5342	6802004	 6.418.074.035.738		Street cabinet base STP 5342 HxWxD: 855x530x250 mm. IP44, IK10
	CBB 53	6804010	 6.418.074.041.586		Copper rail STCP/STC size 53 Max. 400 A Size 40x5, length 437 mm.





ST - 5358

	Type no.	Code	EAN code	Pack. size	Description
	STCP 5358	6801028	 6.418.074.035.349	1	Street cabinet with base STCP 5358 Cabinet HxWxD: 580x530x250 mm. Height incl. base: 1435 mm., IP44
	STC 5358	6800009	 6.418.074.033.420	1	Street cabinet without base STC 5358 Cabinet HxWxD: 580x530x250 mm. Interior depth 225 mm., IP44

ST - 5358 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 5358	6803238	 6.418.074.041.869	1	Mounting plate MPF 5358 10mm foam Forex plate Size 500x520 mm.
	MPI 5358	6803038	 6.418.074.038.616	1	Montageplatte MPI 5358 4 mm PVC-Platte Größe 500 x 520 mm.
	MPS 5358	6803138	 6.418.074.041.685	1	Mounting plate MPS 5358 2mm galvanised steel plate Size 500x520 mm.
	SMP 58	6803024	 6.418.074.037.992	1	Side profile for mounting plate for height 58
	CHP 53	6803013	 6.418.074.036.155	1	Profile for cable holder CHP 53 except for 5388
	STP 5342	6802004	 6.418.074.035.738	1	Street cabinet base STP 5342 HxWxD: 855x530x250 mm. IP44, IK10
	CBB 53	6804010	 6.418.074.041.586	1	Copper rail STCP/STC size 53 Max. 400 A Size 40x5, length 437 mm.





ST - 5384

	Type no.	Code	EAN code	Pack. size	Description
	STCP 5384	6801029	 6.418.074.035.356	1	Street cabinet with base STCP 5384 Cabinet HxWxD: 840x530x250 mm. Height incl. base: 1695mm, IP44
	STC 5384	6800010	 6.418.074.033.437	1	Street cabinet without base STC 5384 Cabinet HxWxD: 840x530x250 mm. Interior depth 225mm, IP44

ST - 5384 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 5384	6803239	 6.418.074.041.876	1	Mounting plate MPF 5384 10mm foam Forex plate Size 500x780 mm.
	MPI 5384	6803039	 6.418.074.038.623	1	Mounting plate MPI 5384 4mm PVC plate Size 500x780 mm.
	MPS 5384	6803139	 6.418.074.041.692	1	Mounting plate MPS 5384 2mm galvanised steel plate Size 500x780 mm.
	CHP 53	6803013	 6.418.074.036.155	1	Profile for cable holder CHP 53 except for 5388
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	STP 5342	6802004	 6.418.074.035.738	1	Street cabinet base STP 5342 HxWxD: 855x530x250 mm. IP44, IK10
	CBB 42	6804009	 6.418.074.041.579	1	Copper rail STCP/STC size 42 Max. 400 A Size 40x5, length 307 mm.





ST - 5388/32

	Type no.	Code	EAN code	Pack. size	Description
	STCP 5388/32	6801030	 6.418.074.035.363	1	Street cabinet with base STCP 5388/32 Cabinet HxWxD: 880x530x320 mm. Height incl. base: 1735 mm., IP44
	STC 5388/32	6800011	 6.418.074.034.106	1	Street cabinet without base STC 5388/32 Cabinet HxWxD: 880x530x320 mm. Interior depth 295 mm., IP44

ST - 5388/32 accessory





	Type no.	Code	EAN code	Pack. size	Description
	MPF 5388	6803240	 6.418.074.041.883	1	Mounting plate MPF 5388 10mm foam Forex plate Size 490x840 mm.
	MPI 5388	6803040	 6.418.074.038.630	1	Mounting plate MPI 5388 4mm PVC plate Size 490x840 mm.
	MPS 5388	6803140	 6.418.074.041.708	1	Mounting plate MPS 5388 2mm galvanised steel plate Size 490x840 mm.
	CHP 5388	6803014	 6.418.074.036.261	1	Metal profile for cable holder CHP 5388
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	STP 5388/32	6804005	 6.418.074.035.745	1	Street cabinet base STP 5388/32 HxWxD: 855x530x320 mm. IP44, IK10
	CBB 5388	6804009	 6.418.074.041.579	1	Copper rail for STCP/STC 5388 Max. 400 A Size 40x5, length 485 mm.

ST - 6644

	Type no.	Code	EAN code	Pack. size	Description
	STCP 6644	6801031	 6.418.074.035.370	1	Street cabinet with base STCP 6644 Cabinet HxWxD: 440x660x250 mm. Height incl. base: 1290mm, IP44
	STC 6644	6800012	 6.418.074.034.113	1	Street cabinet without base STC 6644 Cabinet HxWxD: 440x660x250 mm. Interior depth 225mm, IP44





ST - 6644 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 6644	6803241	 6.418.074.041.890	1	Mounting plate MPF 6644 10mm foam Forex plate Size 610x420 mm.
	MPI 6644	6803041	 6.418.074.038.647	1	Mounting plate MPI 6644 4mm PVC plate Size 610x420 mm.
	MPS 6644	6803141	 6.418.074.041.715	1	Mounting plate MPS 6644 2mm galvanised steel plate Size 610x420 mm.
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CHP 66	6803015	 6.418.074.036.278	1	Metal profile for cable holder CHP 66
	STP 6644	6802006	 6.418.074.035.752	1	Street cabinet base STP 6644 HxWxD: 850x660x250 mm. IP44, IK10
	CBB 66	6804006	 6.418.074.041.548	1	Copper rail STCP/STC size 66 Max. 400 A Size 40x5, length 620 mm.

	Type no.	Code	EAN code	Pack. size	Description
	STCP 6657	6801032	 6.418.074.035.387	1	Street cabinet with base STCP 6657 Cabinet HxWxD: 570x660x250 mm. Height incl. base: 1420 mm., IP44
	STC 6657	6800013	 6.418.074.034.632	1	Street cabinet without base STC 6657 Cabinet HxWxD: 570x660x250 mm. Interior depth 225 mm., IP44

ST - 6657 accessory





	Type no.	Code	EAN code	Pack. size	Description
	MPF 6657	6803242	 6.418.074.041.906	1	Mounting plate MPF 6657 10mm foam Forex plate Size 610x540 mm.
	MPI 6657	6803042	 6.418.074.038.654	1	Mounting plate MPI 6657 4mm PVC plate Size 610x540 mm.
	MPS 6657	6803142	 6.418.074.041.722	1	Mounting plate MPS 6657 2mm galvanised steel plate Size 610x540 mm.
	SMP 57	6803023	 6.418.074.037.985	1	Side profile for mounting plate for height 57
	CHP 66	6803015	 6.418.074.036.278	1	Metal profile for cable holder CHP 66
	STP 6644	6802006	 6.418.074.035.752	1	Street cabinet base STP 6644 HxWxD: 850x660x250 mm. IP44, IK10
	CBB 66	6804006	 6.418.074.041.548	1	Copper rail STCP/STC size 66 Max. 400 A Size 40x5, length 620 mm.

	Type no.	Code	EAN code	Pack. size	Description
	STCP 6688	6801033	 6.418.074.035.394	1	Street cabinet with base STCP 6688 Cabinet HxWxD: 880x660x250 mm. Height incl. base: 1730 mm., IP44
	STC 6688	6800014	 6.418.074.034.731	1	Street cabinet without base STC 6688 Cabinet HxWxD: 880x660x250 mm. Interior depth 225mm, IP44

ST - 6688 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 6688	6803243	 6.418.074.041.913	1	Mounting plate MPF 6688 10mm foam Forex plate Size 610x840 mm.
	MPI 6688	6803043	 6.418.074.038.661	1	Mounting plate MPI 6688 4mm PVC plate Size 610x840 mm.
	MPS 6688	6803143	 6.418.074.041.739	1	Mounting plate MPS 6688 2mm galvanised steel plate Size 610x840 mm.
	CHP 66	6803015	 6.418.074.036.278	1	Metal profile for cable holder CHP 66
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	STP 6644	6802006	 6.418.074.035.752	1	Street cabinet base STP 6644 HxWxD: 850x660x250 mm. IP44, IK10
	CBB 66	6804006	 6.418.074.041.548	1	Copper rail STCP/STC size 66 Max. 400 A Size 40x5, length 620 mm.





ST - 6688/32

	Type no.	Code	EAN code	Pack. size	Description
	STCP 6688/32	6801034	 6.418.074.035.400	1	Street cabinet with base STCP 6688/32 Cabinet HxWxD: 880x660x320 mm. Height incl. base: 1730 mm., IP44
	STC 6688/32	6800015	 6.418.074.034.748	1	Street cabinet without base STC 6688/32 Cabinet HxWxD: 880x660x320 mm. Interior depth 295 mm., IP44

ST - 6688/32 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 6688	6803243	 6.418.074.041.913	1	Mounting plate MPF 6688 10mm foam Forex plate Size 610x840 mm.
	MPI 6688	6803043	 6.418.074.038.661	1	Mounting plate MPI 6688 4mm PVC plate Size 610x840 mm.
	MPS 6688	6803143	 6.418.074.041.739	1	Mounting plate MPS 6688 2mm galvanised steel plate Size 610x840 mm.
	CHP 66	6803015	 6.418.074.036.278	1	Metal profile for cable holder CHP 66
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	STP 6688/32	6802007	 6.418.074.035.790	1	Street cabinet base STP 6688/32 HxWxD: 850x660x320 mm. IP44, IK10
	CBB 66	6804006	 6.418.074.041.548	1	Copper rail STCP/STC size 66 Max. 400 A Size 40x5, length 620 mm.





ST - 8042

	Type no.	Code	EAN code	Pack. size	Description
	STCP 8042	6801035	 6.418.074.035.660	1	Street cabinet with base STCP 8042 Cabinet HxWxD: 420x800x250 mm. Height incl. base: 1275 mm., IP44
	STC 8042	6800016	 6.418.074.034.755	1	Street cabinet without base STC 8042 Cabinet HxWxD: 420x800x250 mm. Interior depth 225 mm., IP44

ST - 8042 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 8042	6803244	 6.418.074.041.920	1	Mounting plate MPF 8042 10mm foam Forex plate Size 770x360 mm.
	MPI 8042	6803044	 6.418.074.041.456	1	Mounting plate MPI 8042 4 mm PVC plate Size 770x360 mm.
	MPS 8042	6803144	 6.418.074.041.746	1	Mounting plate MPS 8042 2mm galvanised steel plate Size 770x360 mm.
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	CHP 80	6803016	 6.418.074.036.438	1	Metal profile for cable holder CHP 80 except for 8088
	STP 8042	6802008	 6.418.074.035.813	1	Street cabinet base STP 8042 HxWxD: 855x800x250 mm. IP44, IK10
	CBB 80	6804011	 6.418.074.041.593	1	Copper rail STCP/STC size 80 Max. 400 A Size 40x5, length 707 mm.





ST - 8058

	Type no.	Code	EAN code	Pack. size	Description
	STCP 8058	6801036	 6.418.074.035.677	1	Street cabinet with base STCP 8058 Cabinet HxWxD: 580x800x250 mm. Height incl. base: 1435 mm., IP44
	STC 8058	6800017	 6.418.074.034.762	1	Street cabinet without base STC 8058 Cabinet HxWxD: 580x800x250 mm. Interior depth 225 mm., IP44

ST - 8058 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 8058	6803245	 6.418.074.041.937	1	Mounting plate MPF 8058 10mm foam Forex plate Size 770x520 mm.
	MPI 8058	6803045	 6.418.074.041.463	1	Mounting plate MPI 8058 4mm PVC plate Size 770x520 mm.
	MPS 8058	6803145	 6.418.074.041.753	1	Mounting plate MPS 8058 2mm galvanised steel plate Size 770x520 mm.
	SMP 58	6803024	 6.418.074.037.992	1	Side profile for mounting plate for height 58
	CHP 80	6803016	 6.418.074.036.438	1	Metal profile for cable holder CHP 80 except for 8088
	STP 8042	6802008	 6.418.074.035.813	1	Street cabinet base STP 8042 HxWxD: 855x800x250 mm. IP44, IK10
	CBB 80	6804011	 6.418.074.041.593	1	Copper rail STCP/STC size 80 Max. 400 A Size 40x5, length 707 mm.





ST - 8084

	Type no.	Code	EAN code	Pack. size	Description
	STCP 8084	6801037	 6.418.074.035.684	1	Street cabinet with base STCP 8084 Cabinet HxWxD: 840x800x250mm Height incl. base: 1695 mm., IP44
	STC 8084	6800018	 6.418.074.034.779	1	Street cabinet without base STC 8084 Cabinet HxWxD: 840x800x250 mm Interior depth 225 mm., IP44

ST - 8084 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 8084	6803246	 6.418.074.041.944	1	Mounting plate MPF 8084 10mm foam Forex plate Size 770x780 mm.
	MPI 8084	6803046	 6.418.074.041.470	1	Mounting plate MPI 8084 4mm PVC plate Size 770x780 mm.
	MPS 8084	6803146	 6.418.074.041.760	1	Mounting plate MPS 8084 2mm galvanised steel plate Size 770x780 mm.
	CHP 80	6803016	 6.418.074.036.438	1	Metal profile for cable holder CHP 80 except for 8088
	SMP 42/84	6803021	 6.418.074.036.711	1	Side profile for mounting plate for height 42/84
	STP 8042	6802008	 6.418.074.035.813	1	Street cabinet base STP 8042 HxWxD: 855x800x250 mm. IP44, IK10
	CBB 80	6804011	 6.418.074.041.593	1	Copper rail STCP/STC size 80 Max. 400 A Size 40x5, length 707 mm.

ST - 8088/32

	Type no.	Code	EAN code	Pack. size	Description
	STCP 8088/32	6801038	 6.418.074.035.691	1	Street cabinet with base STCP 8088/32 Cabinet HxWxD: 880x800x320 mm. Height incl. base: 1735 mm., IP44
	STC 8088/32	6800019	 6.418.074.034.786	1	Street cabinet without base STC 8088/32 Cabinet HxWxD: 880x800x320 mm. Interior depth 295 mm., IP44

ST - 8088/32 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 8088	6803247	 6.418.074.041.951	1	Mounting plate MPF 8088 10mm foam Forex plate Size 750x840 mm.
	MPI 8088	6803047	 6.418.074.041.487	1	Mounting plate MPI 8088 4mm PVC plate Size 750x840 mm.
	MPS 8088	6803147	 6.418.074.041.777	1	Mounting plate MPS 8088 2mm galvanised steel plate Size 750x840 mm.
	CHP 8088	6803017	 6.418.074.036.445	1	Profile for cable holder CHP 8088
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	STP 8088/32	6802009	 6.418.074.041.371	1	Street cabinet base STP 8088/32 HxWxD: 850x800x320 mm. IP44, IK10
	CBB 8088	6804007	 6.418.074.041.555	1	Copper rail for STCP/STC 8088 Max. 400 A Size 40x5, length 755 mm.

	Type no.	Code	EAN code	Pack. size	Description
	STCP 53+5388/32	6801039	 6.418.074.041.395	1	Street cabinet with base STCP 53+5388/32 Consisting of two STCP53 cabinet IP44, IK10, 1730x1060x320 mm.


















ST - 53+5388/32 accessory



	Type no.	Code	EAN code	Pack. size	Description
	MPF 5388	6803240	 6.418.074.041.883	1	Mounting plate MPF 5388 10mm foam Forex plate Size 490x840 mm.
	MPI 5388	6803040	 6.418.074.038.630	1	Mounting plate MPI 5388 4mm PVC plate Size 490x840 mm.
	MPS 5388	6803140	 6.418.074.041.708	1	Mounting plate MPS 5388 2mm galvanised steel plate Size 490x840 mm.
	CHP 5388	6803014	 6.418.074.036.261	1	Metal profile for cable holder, CHP 5388
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CBB 53	6804010	 6.418.074.041.586	1	Copper rail STCP/STC size 53 Max. 400 A Size 40x5, length 437 mm.

ST - 66+4088/32


	Type no.	Code	EAN code	Pack. size	Description
	STCP 66+4088/32	6801040	 6.418.074.041.401	1	Street cabinet with base STCP 66+4088/32 consisting of STCP 66 and 40 cabinet IP44, IK10, 1730x1060x320 mm.

ST - 66+4088/32 accessory



	Type no.	Code	EAN code	Pack. size	Description
	MPF 4088	6803236	 6.418.074.041.845	1	Mounting plate MPF 4088 10mm foam Forex plate Size 350x840 mm.
	MPI 4088	6803036	 6.418.074.038.593	1	Mounting plate MPI 4088 4mm PVC plate6 Size 350x840 mm.
	MPS 4088	6803136	 6.418.074.041.661	1	Mounting plate MPS 4088 2mm galvanised steel plate Size 350x840 mm.
	MPF 6688	6803243	 6.418.074.041.913	1	Mounting plate MPF 6688 10mm foam Forex plate Size 610x840 mm.
	MPI 6688	6803043	 6.418.074.038.661	1	Mounting plate MPI 6688 4mm PVC plate Size 610 x 840 mm.
	MPS 6688	6803143	 6.418.074.041.739	1	Mounting plate MPS 6688 2mm galvanised steel plate Size 610 x840 mm.
	CHP 8088	6803017	 6.418.074.036.445	1	Profile for cable holder, CHP 8088
	CHP 66	6803015	 6.418.074.036.278	1	Metal profile for cable holder CHP 66
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CBB 66	6804006	 6.418.074.041.548	1	Copper rail STCP/STC size 66 Max. 400 A Size 40x5, length 620 mm.
	CBB 4088	6804004	 6.418.074.041.524	1	Copper rail for STCP/STC4088 Max. 400 A Size 40x5, length 355 mm.

	Type no.	Code	EAN code	Pack. size	Description
	STCP 66+5388/32	6801042	 6.418.074.041.425	1	Street cabinet with base STCP 66+5388/32 Consisting of STCP 66 and 53 cabinet IP44, IK10, 1730x1200x320 mm.














ST - 66+5388/32 accessory


	Type no.	Code	EAN code	Pack. size	Description
	MPF 5388	6803240	 6.418.074.041.883	1	Mounting plate MPF 5388 10mm foam Forex plate Size 490x840 mm.
	MPI 5388	6803040	 6.418.074.038.630	1	Mounting plate MPI 5388 4mm PVC plate Size 490x840 mm.
	MPS 5388	6803140	 6.418.074.041.708	1	Mounting plate MPS 5388 2mm galvanised steel plate Size 490x840 mm.
	MPF 6688	6803243	 6.418.074.041.913	1	Mounting plate MPF 6688 10mm foam Forex plate Size 610x840 mm.
	MPI 6688	6803043	 6.418.074.038.661	1	Mounting plate MPI 6688 4mm PVC plate Size 610x840 mm.
	MPS 6688	6803143	 6.418.074.041.739	1	Mounting plate MPS 6688 2mm galvanised steel plate Size 610x840 mm.
	CHP 5388	6803015	 6.418.074.036.278	1	Metalprofil for kabelholder CHP 5388
	CHP 66	6803015	 6.418.074.036.278	1	Metal profile for cable holder CHP 66
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CBB 5388	6804005	 6.418.074.041.531	1	Copper rail for STCP/STC 5388 Max. 400 A Size 40x5, length 485 mm.
	CBB 66	6804006	 6.418.074.041.548	1	Copper rail STCP/STC size 66 Max. 400 A Size 40x5, length 620 mm.

ST - 80+4088/32

	Type no.	Code	EAN code	Pack. size	Description
	STCP 80+4088/32	6801041	 6.418.074.041.418	1	Street cabinet with base STCP 80+4088/32 Consisting of STCP 80 and 40 cabinet IP44, IK10, 1730 x 1190 x 320 mm.

ST - 80+4088/32 accessory


	Type no.	Code	EAN code	Pack. size	Description
	MPF 4088	6803236	 6.418.074.041.845	1	Mounting plate MPF 4088 10mm foam Forex plate Size 350x840 mm.
	MPI 4088	6803036	 6.418.074.038.593	1	Mounting plate MPI 4088 4mm PVC plate 6 Size 350x840 mm.
	MPS 4088	6803136	 6.418.074.041.661	1	Mounting plate MPS 4088 2mm galvanised steel plate Size 350x840 mm.
	MPF 8088	6803247	 6.418.074.041.951	1	Mounting plate MPF 8088 10mm foam Forex plate Size 750x840 mm.
	MPI 8088	6803047	 6.418.074.041.487	1	Mounting plate MPI 8088 4mm PVC plate Size 750x840 mm.
	MPS 8088	6803147	 6.418.074.041.777	1	Mounting plate MPS 8088 2mm galvanised steel plate Size 750x840 mm.
	CHP 4088	6803012	 6.418.074.035.998	1	Metal profile for cable holder CHP 4088
	CHP 8088	6803017	 6.418.074.036.445	1	Profile for cable holder, CHP 8088
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CBB 4088	6804004	 6.418.074.041.524	1	Copper rail for STCP/STC4088 Max. 400 A Size 40x5, length 355 mm.
	CBB 8088	6804007	 6.418.074.041.555	1	Copper rail for STCP/STC 8088 Max. 400 A Size 40x5, length 755 mm.

	Type no.	Code	EAN code	Pack. size	Description
	STCP 80+5388/32	6801043	 6.418.074.041.432	1	Street cabinet with base STCP 80+5388/32 Consisting of STCP 80 and 53 cabinet IP44, IK10, 1730x1330x320 mm.

ST - 80+5388/32 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 5388	6803240	 6.418.074.041.883	1	Mounting plate MPF 5388 10mm foam Forex plate Size 490x840 mm.
	MPI 5388	6803040	 6.418.074.038.630	1	Mounting plate MPI 5388 4mm PVC plate Size 490x840 mm.
	MPS 5388	6803140	 6.418.074.041.708	1	Mounting plate MPS 5388 2mm galvanised steel plate Size 490x840 mm.
	MPF 8088	6803247	 6.418.074.041.951	1	Mounting plate MPF 8088 10mm foam Forex plate Size 750x840 mm.
	MPI 8088	6803047	 6.418.074.041.487	1	Mounting plate MPI 8088 4mm PVC plate Size 750x840 mm.
	MPS 8088	6803147	 6.418.074.041.777	1	Mounting plate MPS 8088 2mm galvanised steel plate Size 750x840 mm.
	CHP 8088	6803017	 6.418.074.036.445	1	Profile for cable holder, CHP 8088
	CHP 5388	6803014	 6.418.074.036.261	1	Metallprofil für Kabelhalter CHP 5388
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CBB 5388	6804005	 6.418.074.041.531	1	Copper rail for STCP/STC 5388 Max. 400 A Size 40x5, length 485 mm.
	CBB 8088	6804007	 6.418.074.041.555	1	Copper rail for STCP/STC 8088 Max. 400 A Size 40x5, length 755 mm.

ST - 80+8088/32

	Type no.	Code	EAN code	Pack. size	Description
	STCP 80+8088/32	6801044	 6.418.074.041.449	1	Street cabinet with base STCP 80+8088/32 consisting of two STCP 80 cabinets IP44, IK10, 1730x1600x320 mm.



ST - 80+8088/32 accessory

	Type no.	Code	EAN code	Pack. size	Description
	MPF 8088	6803247	 6.418.074.041.951	1	Mounting plate MPF 8088 10mm foam Forex plate Size 750x840 mm.
	MPI 8088	6803047	 6.418.074.041.487	1	Mounting plate MPI 8088 4mm PVC plate Size 750x840 mm.
	MPS 8088	6803147	 6.418.074.041.777	1	Mounting plate MPS 8088 2mm galvanised steel plate Size 750x840 mm.
	CHP 8088	6803017	 6.418.074.036.445	1	Profile for cable holder, CHP 8088
	SMP 44/88	6803022	 6.418.074.037.978	1	Side profile for mounting plate for height 44/88
	CBB 8088	6804007	 6.418.074.041.555	1	Copper rail for STCP/STC 8088 Max. 400 A Size 40x5, length 755 mm.

Street cabinets common accessory


	Type no.	Code	EAN code	Pack. size	Description
	CH 5X120	6803019	 6.418.074.036.469	1	Cable relief clamp / bracket for max. 5X120 mm2 cable
	CH 5X240	6803020	 6.418.074.036.476	1	Cable relief clamp / bracket for max. 5X240 mm2 cable
	CH 5X35	6803018	 6.418.074.036.452	1	Cable relief clamp / bracket for max. 5X35 mm2 cable
	ID 16X9	6803028	 6.418.074.038.517	1	Inspection door for any remote operation Size 160x90
	ID 27X15	6803027	 6.418.074.038.500	1	Inspection door for any remote operation Size 270x150
	LC-DB	6803026	 6.418.074.038.494	1	Double bar lock LC-DB
	LC-T6	6803025	 6.418.074.038.487	1	Triangle locking insert 6 mm. type LC-T6
	TI	6803029	 6.418.074.038.524	1	Thread inserts
	PMS	6804002	 6.418.074.041.500	1	Pipe fitting set PMS
	SHWP	6804003	 6.418.074.041.517	1	Swivel door handle with possibility for fitting a padlock
	VCC 240	6804001	 6.418.074.041.494	1	V-clamps VCC240 for cables max. 240 mm2

STC 2642, 2658, 2684




Type	A	A1	A2	A3	A4	B	B1	B2	C	C1	C2
STC 2642	420	374	-	235	92	215	125	-	-	166	43
STC 2658	580	534	-	395	92	215	125	-	-	246	43
STC 2684	840	794	235	-	92	215	125	-	333	1	43

Pedestals 250 mm




Type	A
STP 2642	265
STP 4042	400
STP 5342	530
STP 8084	800

STC 4042, 4058, 4084




Type	A	A1	A2	A3	A4	B	B1	B2	C	C1	C2
STC 4042	420	374	-	235	92	350	260	-	-	166	43
STC 4058	580	534	-	395	92	350	260	-	-	246	43
STC 4084	840	794	235	-	92	350	260	-	333	-	43

STC4088/32




Type	A	A1	A2	A3	A4	B	B1	C	C1	C2	D	D1	D2
STC 4088/ 32	880	840	185	240	75	360	325	675	235	205	320	295	340

Pedestals /32




Type	A	A1
STP 4088/32	400	-
STP 5388/32	530	-
STP 6644	660	250
STP 6088/32	660	-
STP 8088/32	800	-

STC 5342, 5358, 5384




Type	A	A1	A2	A3	A4	B	B1	B2	C	C1	C2
STC 5342	420	374	-	235	92	480	125	390	-	166	43
STC 5338	580	534	-	395	92	480	125	390	-	246	43
STC 5384	840	794	235	-	92	480	125	390	333	-	43

5TC 5388/32



Type	A	A1	A2	A3	A4	B	B1	B2	C	C1	C2	D	D1	D2
5TC 5388/32	880	840	185	240	75	490	190	455	675	235	205	320	295	340

STC 6644, 6657, 6688 STC 6688/32



Type	A	A1	A2	A3	A4	B	B1	B2	B3	C	C1	C2	D	D1	D2
STC 6644	440	400	-	-	-	620	-	-	-	235	-	-	250	250	270
STC 6657	570	530	-	-	-	620	-	-	-	450	-	-	250	250	270
STC 6688	880	840	185	240	75	620	585	190	325	675	235	205	250	250	270
STC 6688/32	880	840	185	240	75	620	585	190	325	675	235	205	320	295	340

STC 8042, 8058, 8084



Type	A	A1	A2	A3	A4	B	B1	B2	C	C1	C2
STC 8042	420	374	-	235	92	480	125	390	-	166	43
STC 8058	580	534	-	395	92	480	125	390	-	246	43
STC 8084	840	749	235	-	92	480	125	390	333	-	43

www.fibox.co.uk

FIBOX Ltd

Suite 25, Durham Tees Valley Business Centre,
Primrose Hill Industrial Estate,
Orde Wingate Way,
Stockton on Tees, TS19 0GD
Tel (+44) 1642 604 400
Fax (+44) 1642 604 600
projects@fibox.co.uk

www.fibox.co.uk