



Ver.	Modify No.	Details	Area	P.I.C	Date


TOP VIEW




SIDE VIEW



BOTTOM VIEW





-  White silk screen area (RAL9010)
-  Transparent area
-  Hole for speaker area



Approved Vasilyuk 

Technical Datasheet:

- Structure: Cover Glass+SCA+ITO Glass
- Controller: BTP-GG-CTR-ILI-121B-SN22 COB
- Controller IC: ILI 2511
- Cover Glass: T=3mm, Surface hardness ≥6H
- Light transmittance: ≥85%
- Working Temperature: -20℃~+70℃, ≤85%RH;
- Storage Temperature: -30℃~+80℃, ≤85%RH;
- Unmarked Tolerance: ± 0.3 mm;
- All material used conform to RoHS standards

Part No.	BTP-GG-TPB-12.1-ILI-SN22			
Product Name:	12.1 inch Touch Panel	Drawing No.	G121240913SN22	
		Project Code.	G121SN22	
Business Unit:	SNT-BTP	Period Mark	View Angle	Ratio
		A		1:1
Designed by:	Curry.Wang	BOM Code	1.03.121.01.0122	
Checked by:	Jimmy.Lu	Page 1	Total 1 Page	
Approved by:	Cale.Chen	Product Series	BTP-GG	
Workmanship:	Yong.Xin	 SINOTECTRONICS Interactivity Changes the World		
Standardization:	Link.Chen			
Released by:	Rocky.Liu	E-File Name: G121240913SN22		