



AMT Projected Capacitive Touchscreens

SIZE	PART NO.	TOP GLASS THICKNESS	THICKNESS OVERALL	SURFACE FINISH	MATCHING CONTROLLER	TAIL LENGTH (mm)	OUTSIDE AREA L*W (mm)	VIEW AREA L*W (mm)	KEY AREA L*W (mm)
Glass-Film-Film Projected Capacitive Touchscreens with COF tail									
5"	P3036-C20-F01	1.1mm	1.5mm	Clear	PM2204 COF	70.00	124.00 * 84.80	115.00 * 71.80	108.00 * 64.80
6.5"	P3035-C20-F01	1.1mm	1.5mm	Clear	PM2204 COF	70.00	153.08 * 122.96	140.08 * 106.96	133.08 * 99.96
7" w	P3032-C20-F01	1.1mm	1.5mm	Clear	PM2204 COF	70.00	172.60 * 113.44	160.60 * 98.44	153.60 * 91.44
10.1" w	P3021-C2A	1.1mm	1.5mm	Clear	PM2300 COF	80.00	232.96 * 155.60	223.96 * 142.60	216.96 * 135.60
10.4"	P3024-C20-F01	1.1mm	1.5mm	Clear	PM2300 COF	80.00	227.12 * 178.66	217.03 * 164.42	211.03 * 158.42
Glass-Film-Film Projected Capacitive Touchscreens with FPC tail									
10.4"	P3008-A2A-F01	1.1mm	1.5mm	Clear	PM1310	50.00	228.20 * 180.10	212.03 * 159.42	211.03 * 158.42 (A.A.)
12.1"	P3026-A20-F01	1.1mm	1.5mm	Clear	PM1410/PM1415	50.00	268.50 * 210.50	253.00 * 191.50	246.00 * 184.50
12.1" w	P3030-A20-F01	1.1mm	1.5mm	Clear	PM1410/PM1415	50.00	278.62 * 185.70	268.12 * 170.20	261.12 * 163.20
15"	P3029-A20-F01	1.8mm	2.2mm	Clear	PM1410/PM1415	50.00	323.60 * 252.10	311.10 * 235.10	304.10 * 228.10
15.6" w	P3023-A2B-F01	1.8mm	2.2mm	Clear	PM1410/PM1415	50.00	362.73 * 217.04	351.23 * 200.54	344.23 * 193.54
17"	P3028-A20-F01	1.8mm	2.2mm	Clear	PM1710/PM1711/PM1715	50.00	361.92 * 296.34	344.92 * 277.34	337.92 * 270.34
18.5" w	P3019-A2B-F01	1.8mm	2.2mm	Clear	PM1710/PM1711/PM1715	50.00	432.60 * 254.20	414.60 * 235.20	409.80 * 230.40
19"	P3027-A20-F01	1.8mm	2.2mm	Clear	PM1710/PM1711/PM1715	50.00	402.30 * 327.10	381.30 * 306.10	376.30 * 301.10
21.5" w	P3022-A2A-F01	1.8mm	2.2mm	Clear	PM1710/PM1711/PM1715	50.00	503.20 * 296.20	484.20 * 275.70	477.20 * 268.70
23.8"	P3034-A20-F01	1.8mm	2.2mm	Clear	PM1710/PM1711/PM1715	50.00	555.04 * 325.46	534.04 * 303.46	527.04 * 296.46

AMT Projected Capacitive Touchscreens with MOQ Requirement

SIZE	PART NO.	TOP GLASS THICKNESS	THICKNESS OVERALL	SURFACE FINISH	MATCHING CONTROLLER	TAIL LENGTH (mm)	OUTSIDE AREA L*W (mm)	VIEW AREA L*W (mm)	KEY AREA L*W (mm)
Glass-Glass Projected Capacitive Touchscreens with MOQ									
7"	P1014-P00-001	N/A	0.7mm	N/A	PM2205 COF	55.00	171.21 * 105.42	161.21 * 92.92	154.21 * 85.92
10.1"	P1006-P00-001	N/A	0.7mm	N/A	PM2304 COF	52.00	231.96 * 154.60	223.96 * 142.60	216.96 * 135.60
10.1"	P1016-P00-001	N/A	0.7mm	N/A	PM2304 COF	52.00	239.00 * 146.79	228.72 * 131.28	222.72 * 125.28
10.1"	P1008-K00-001	N/A	0.7mm	N/A	IL2511-583 COF	80.00	229.40 * 150.55	219.16 * 137.80	216.96 * 135.60
15.6"	P1007-00A-001	N/A	0.7mm	N/A	PM1410/PM1415	50.00	361.73 * 216.04	351.23 * 200.54	344.23 * 193.54
21.5"	P1001-000-001	N/A	0.7mm	N/A	PM1710/PM1711/PM1715	50.00	502.20 * 295.20	484.20 * 275.70	477.20 * 268.70
27"	P1005-000-001	N/A	0.7mm	N/A	PM1710/PM1711/PM1715	80.00	624.89 * 364.81	605.89 * 344.31	597.89 * 336.31
32"	P1013-000-001	N/A	0.7mm	N/A	PM1710/PM1711/PM1715	120.00	724.40 * 419.85	705.40 * 399.85	698.40 * 392.85
Glass-Film-Film Projected Capacitive Touchscreens with COF tail									
3.5"	P3001-C2A-U01	1.1mm	1.5mm	Clear	PM2103 COF	55.00	87.10 * 71.16	76.60 * 57.16	72.60 * 53.16
5.7"	P3037-C20-F01	1.1mm	1.5mm	Clear	PM2204 COF	70.00	136.16 * 110.12	123.16 * 94.12	116.16 * 87.12
7" w	P3012-CGD	1.1mm	1.5mm	Décor Glass	PM2203B COF	70.00	186.60 * 131.00	154.60 * 92.44	153.60 * 91.44
7" w	P3032-CG0-F01	1.1mm	1.5mm	Décor Glass	PM2204 COF	70.00	186.60 * 131.00	154.60 * 92.44	153.60 * 91.44
7" w	P3285-C10-F01	N/A	0.4mm	N/A	PM2204 COF	70.00	169.08 * 105.35	159.88 * 91.72	154.08 * 85.92
7" w	P3285-C20-F01	1.1mm	1.5mm	Clear	PM2204 COF	70.00	170.08 * 106.35	159.88 * 91.72	154.08 * 85.92
7" w	P3285-CG0-F01	1.1mm	1.5mm	Décor Glass	PM2204 COF	70.00	179.08 * 117.35	154.88 * 86.72	154.08 * 85.92
10.1" w	P3021-CGA	1.1mm	1.5mm	Décor Glass	PM2300 COF	80.00	249.96 * 176.60	217.56 * 136.20	216.96 * 135.60
Glass-Film-Film Projected Capacitive Touchscreens with FPC tail									
5.7"	P3004-A2B	1.1mm	1.5mm	Clear	PM1210	50.00	130.80 * 103.00	119.16 * 90.12	116.16 * 87.12
7" w	P3012-A2B	1.1mm	1.5mm	Clear	PM1210	50.00	172.60 * 113.44	160.60 * 98.44	153.60 * 91.44
8.4"	P3007-A2A	1.1mm	1.5mm	Clear	PM1310	50.00	192.90 * 153.30	179.40 * 136.80	172.40 * 129.80
8.4"	P3007-AGA	1.1mm	1.5mm	Décor Glass	PM1310	50.00	213.00 * 174.40	173.00 * 130.40	172.40 * 129.80
10.1" w	P3021-A2A-F01	1.1mm	1.5mm	Clear	PM1310	50.00	232.96 * 155.60	223.96 * 142.60	216.96 * 135.60
10.4"	P3008-AGA-F01	1.1mm	1.5mm	Décor Glass	PM1310	50.00	251.03 * 202.42	211.03 * 158.42	211.03 * 158.42 (A.A.)
12.1"	P3026-AG0-F01	1.8mm	2.2mm	Décor Glass	PM1410/PM1415	50.00	295.00 * 239.50	247.00 * 185.50	246.00 * 184.50
15"	P3029-AG0-F01	1.8mm	2.2mm	Décor Glass	PM1410/PM1415	50.00	357.10 * 289.10	305.10 * 229.10	304.10 * 228.10
17"	P3028-AG0-F01	1.8mm	2.2mm	Décor Glass	PM1710/PM1711/PM1715	50.00	390.92 * 323.34	338.92 * 271.34	337.92 * 270.34
18.5" w	P3019-AGB-F01	1.8mm	2.2mm	Décor Glass	PM1710/PM1711/PM1715	50.00	464.80 * 285.40	410.40 * 231.00	409.80 * 230.40
19"	P3027-AG0-F01	1.8mm	2.2mm	Décor Glass	PM1710/PM1711/PM1715	50.00	433.30 * 358.10	377.30 * 302.10	376.30 * 301.10
21.5" w	P3022-AGA-F01	1.8mm	2.2mm	Décor Glass	PM1710/PM1711/PM1715	50.00	538.20 * 329.70	478.20 * 269.70	477.20 * 268.70
24" w	P3025-A20	1.8mm	2.2mm	Clear	PM1710/PM1711/PM1715	50.00	551.36 * 323.89	538.36 * 305.89	531.36 * 298.89
Anti-UV OCA-Film-Film Projected Capacitive Touchscreens (Passed ASTM G154 Cycle 1 at 500 hours)									
3.5"	P3001-C1A-U01	N/A	0.4mm	N/A	PM2103 COF	55.00	86.10 * 70.16	76.60 * 57.16	72.60 * 53.16
7" w	P3012-C1F-U01	N/A	0.4mm	N/A	PM2203B COF	70.00	171.60 * 112.44	160.60 * 98.44	153.60 * 91.44
10.4"	P3008-A1A-U01	N/A	0.4mm	N/A	PM1310	50.00	227.20 * 179.10	212.03 * 159.42	211.03 * 158.42 (A.A.)
12.1" w	P3030-A10-U01	N/A	0.4mm	N/A	PM1410/PM1415	50.00	277.62 * 184.70	268.12 * 170.20	261.12 * 163.20
15"	P3029-A10-U01	N/A	0.4mm	N/A	PM1410/PM1415	50.00	322.60 * 251.10	311.10 * 235.10	304.10 * 228.10
15.6" w	P3023-A1B-U01	N/A	0.4mm	N/A	PM1410/PM1415	50.00	361.73 * 216.04	351.23 * 200.54	344.23 * 193.54
18.5" w	P3019-A1B-U01	N/A	0.4mm	N/A	PM1710/PM1711/PM1715	50.00	431.60 * 253.20	414.60 * 235.20	409.80 * 230.40
21.5" w	P3022-A1C-U01	N/A	0.4mm	N/A	PM1710/PM1711/PM1715	50.00	502.20 * 295.20	484.20 * 275.70	477.20 * 268.70
23.8"	P3034-A10-U01	N/A	0.4mm	N/A	PM1710/PM1711/PM1715	50.00	553.04 * 323.46	534.04 * 303.46	527.04 * 296.46
32"	P3031-A10-U01	N/A	0.4mm	N/A	PM1710/PM1711/PM1715	50.00	719.40 * 419.85	707.40 * 401.85	698.40 * 392.85
For projects before 2018/MOQ 250 pcs up									
4.3" w	P3015-C20	1.1mm	1.5mm	Clear	PM2101 COF	55.00	110.60 * 72.90	100.10 * 58.90	96.10 * 54.90
4.3" w	P3015-C2A	1.1mm	1.5mm	Clear	PM2102 COF	61.50	110.60 * 72.90	100.10 * 58.90	96.10 * 54.90
5.7"	P3010-C20	1.1mm	1.5mm	Clear	PM2201 COF	70.00	136.16 * 110.12	123.16 * 94.12	116.16 * 87.12
6.5"	P3011-C20	1.1mm	1.5mm	Clear	PM2201 COF	70.00	153.08 * 122.96	140.08 * 106.96	133.08 * 99.96
7" w	P3012-C2D	1.1mm	1.5mm	Clear	PM2203B COF	70.00	172.60 * 113.44	160.60 * 98.44	153.60 * 91.44
12.1"	P3009-A2A	1.1mm	1.5mm	Clear	PM1400A/PM1401	50.00	268.50 * 210.50	253.00 * 191.50	246.00 * 184.50
12.1"	P3009-AGA	1.8mm	2.2mm	Décor Glass	PM1400A/PM1401	50.00	295.00 * 239.50	247.00 * 185.50	246.00 * 184.50
12.1" w	P3014-A20	1.1mm	1.5mm	Clear	PM1400A/PM1401	50.00	283.12 * 189.20	268.12 * 170.20	261.12 * 163.20
15"	P3013-A2A	1.8mm	2.2mm	Clear	PM1400A/PM1401	50.00	327.60 * 255.60	311.10 * 235.10	304.10 * 228.10
15"	P3013-AGA	1.8mm	2.2mm	Décor Glass	PM1400A/PM1401	50.00	357.10 * 289.10	305.10 * 229.10	304.10 * 228.10
15.6" w	P3016-A20	1.8mm	2.2mm	Clear	PM1500	50.00	367.23 * 223.54	351.23 * 200.54	344.23 * 193.54

PenMount Projected Capacitive Control Boards

PART NO.	BOARD SIZE (L*W*H, mm)	INTERFACE CABLE (Optional)	TOUCH CONTROLLER	SIZES SUPPORTED
PM1210	40 * 60* 3	USB/ UART/ I ² C/ RS-232	PenMount P2-06	5.0" - 7.9"
PM1310	30 * 70* 3	USB/ UART/ I ² C	PenMount P2-08	8.0" - 10.9"
PM1410	30 * 90 * 3	USB/ UART/ I ² C/ RS-232	PenMount P2-08 x 2	12.1" - 15.6"
PM1415	30 * 90 * 3	USB or I ² C		
PM1710	30* 125 * 3	USB/ RS-232	PenMount P2-08 x 2	17" - 32"
PM1711	30* 125 * 3	USB/ UART/ I ² C		
PM1715	30 * 90 * 3	USB or I ² C		

AMT PCAP Touch Display

SIZE	PART NO.	OUTSIDE DIMENSION (L*W*H, mm)	DISPLAY AREA (mm)	RESOLUTION	VIEWING ANGLE	BRIGHTNESS (cd/m ²)	CONTRAST RATIO
7"	AP070	172.21 * 106.42 * 8.20	154.21 * 85.92	1024 * 600	170°(H)/170°(V)	500 (Typ.)	800:1
10.1"	AP101	240.00 * 147.79 * 7.70	222.72 * 125.28	1024 * 600	170°(H)/170°(V)	500 (Typ.)	600:1

AMT Open Frame Touch Monitor

SIZE	PART NO.	DISPLAY AREA (mm)	TOUCH PANEL INTERFACE	RESOLUTION	VIDEO INTERFACE	BRIGHTNESS (cd/m ²)	MOUNTING
21.5"	X215A-00	476.64 * 268.11	USB	1920 * 1080	HDMI & VGA	250 (Typ.)	VESA or Side Mounting

AMT 4-, 5-, 8-Wire Resistive Touchscreens

SIZE	PART NO.	THICKNESS GLASS (mm)	THICKNESS OVERALL (mm)	SURFACE FINISH	TAIL	TAIL LENGTH (mm)	OUTSIDE AREA L*W (mm)	VIEW AREA L*W (mm)	ACTIVE AREA L*W (mm)
4-Wire Resistive Touchscreens									
3.85"	9505-00C	1.10	1.40	Clear	4-Wire	30.00	91.30 * 72.00	81.00 * 60.00	79.00 * 58.00
5.72"	9532-00A	1.10	1.40	Antiglare	4-Wire	50.00	132.50 * 104.70	122.00 * 93.85	116.17 * 87.37
5.88"	9502-00B	1.10	1.40	Antiglare	4-Wire	61.00	140.00 * 104.00	122.10 * 93.30	119.20 * 90.30
6.40"	9525-00A	1.10	1.40	Antiglare	4-Wire	70.00	146.30 * 114.55	133.00 * 101.00	130.00 * 97.50
6.43"	9501-00B	1.60	1.90	Antiglare	4-Wire	59.00	152.90 * 120.00	133.60 * 101.40	130.60 * 98.40
6.52"	9557-000	1.10	1.40	Antiglare	4-Wire	70.00	153.00 * 118.00	135.90 * 102.80	132.48 * 99.36
7.00"w	9545-000	1.10	1.40	Antiglare	4-Wire	70.00	165.00 * 104.00	154.90 * 93.94	152.40 * 91.44
7.00"w	9545-00A	1.10	1.40	Antiglare	4-Wire	70.00	165.00 * 104.00	154.90 * 93.94	152.40 * 91.44
7.00"w	9545-00B	1.10	1.40	Antiglare	4-Wire	70.00	165.00 * 104.00	154.90 * 93.94	152.40 * 91.44
8.00"	9556-000	1.10	1.40	Antiglare	4-Wire	50.00	183.00 * 141.00	166.70 * 126.10	162.60 * 122.10
8.48"	9507-00C	1.10	1.40	Antiglare	4-Wire	70.00	188.90 * 141.70	174.00 * 131.50	172.00 * 129.50
8.48"	9536-000	1.80	2.10	Antiglare	4-Wire	70.00	188.90 * 141.70	174.00 * 131.50	172.00 * 129.50
8.48"	9552-020	1.10	1.40	Antiglare	4-Wire	70.00	188.90 * 141.70	174.00 * 131.50	172.00 * 129.50
10.24"w	9558-000	1.10	1.40	Antiglare	4-Wire	80.00	235.00 * 145.80	225.20 * 135.70	223.20 * 133.70
10.39"	9541-00A	1.60	1.90	Antiglare	4-Wire	56.00	225.21 * 171.59	213.11 * 160.02	211.07 * 158.50
10.40"	9509-00C	1.10	1.40	Antiglare	4-Wire	70.00	225.55 * 172.95	215.00 * 162.20	211.20 * 158.80
10.44"	9553-000	1.10	1.40	Antiglare	4-Wire	100.00	225.30 * 174.00	214.30 * 165.00	212.00 * 159.20
10.45"	9537-000	1.80	2.10	Antiglare	4-Wire	76.20	231.40 * 177.90	216.40 * 163.40	212.20 * 159.40
12.12"	9542-00A	1.80	2.10	Antiglare	4-Wire	100.00	266.60 * 204.00	250.00 * 188.00	246.00 * 185.00
14.97"	9543-00A	1.80	2.10	Antiglare	4-Wire	130.00	325.45 * 249.25	308.20 * 232.11	304.09 * 228.09
15.00"	9102-00F	1.80	2.10	Antiglare	4-Wire	76.20	330.00 * 254.00	308.20 * 232.10	304.10 * 228.10
8-Wire Resistive Touchscreens									
10.44"	9518-00C	1.60	1.90	Antiglare	8-Wire	101.00	238.80 * 188.50	219.80 * 166.80	212.10 * 159.30
12.10"	9534-00A	1.80	2.10	Antiglare	8-Wire	101.00	268.00 * 204.00	250.00 * 188.00	246.00 * 185.00
14.97"	9546-00D	2.80	3.20	Antiglare	8-Wire	114.30	333.60 * 257.50	308.20 * 232.10	304.10 * 228.10
15.00"	9535-00A	1.80	2.10	Antiglare	8-Wire	101.00	332.60 * 257.50	308.20 * 232.10	304.10 * 228.10
5-Wire Resistive Touchscreens									
7"w	2525-00A	1.10	1.50	Antiglare	5-Wire	92.70	166.00 * 105.00	154.40 * 92.10	154.40 * 92.10
10.44"	2527-00A	1.10	1.60	Antiglare	5-Wire	92.70	225.30 * 174.00	212.20 * 159.20	212.20 * 159.20
10.67"	2507-00D	1.80	2.10	Antiglare	5-Wire	152.50	248.92 * 186.69	215.90 * 163.83	215.90 * 163.83
12.26"	2514-00C	1.80	2.30	Antiglare	5-Wire	150.00	270.99 * 205.51	248.87 * 187.40	248.87 * 187.40
14.96"	2513-00D	2.80	3.30	Antiglare	5-Wire	91.00	326.50 * 253.50	304.00 * 228.00	304.00 * 228.00
15.13"	2517-000	2.80	3.30	Antiglare	5-Wire	150.00	332.90 * 248.90	307.10 * 231.10	307.10 * 231.10
15.54"w	2522-000	2.80	3.30	Antiglare	5-Wire	92.00	359.30 * 209.47	344.23 * 193.54	344.23 * 193.54
17.01"	2538-000	1.80	2.10	Antiglare	5-Wire	152.00	357.00 * 288.00	337.00 * 270.30	337.00 * 270.30
17.01"	2505-00C	2.80	3.30	Antiglare	5-Wire	152.00	357.00 * 288.00	337.00 * 270.30	337.00 * 270.30
17.12"	2528-000	2.80	3.20	Antiglare	5-Wire	150.00	365.00 * 295.00	339.00 * 272.40	339.00 * 272.40
17.15"	2512-00B	2.80	3.20	Antiglare	5-Wire	151.00	365.40 * 290.18	340.00 * 272.40	340.00 * 272.40
19.09"	2511-00D	2.80	3.30	Antiglare	5-Wire	151.50	404.20 * 330.00	378.50 * 303.00	378.50 * 303.00
21.58"w	2535-000	2.80	3.20	Antiglare	5-Wire	205.00	495.60 * 292.20	477.64 * 269.11	477.64 * 269.11

PenMount Control Boards for Resistive Touchscreens

PART NO.	WIRE	INTERFACE	BOARD SIZE (L * W * H,mm)	TOUCH CABLE
PenMount 6000 Series Controller				
PM 6300A-8	4-, 8-Wire	USB	60.0 * 26.0 * 8.4	ZIF / AMP
PM 6500A-8	4-, 8-Wire	USB or RS-232	60.0 * 26.0 * 8.4	ZIF / AMP
PM 6202B-CW4	4-Wire	USB or RS-232	70.0 * 20.0 * 10.3	Not required
PM 6202B-CZ4	4-Wire	USB or RS-232	70.0 * 20.0 * 10.3	Not required
PM 6300A-5	5-Wire	USB	60.0 * 26.0 * 8.4	AMP
PM 6500A-5	5-Wire	USB or RS-232	60.0 * 26.0 * 8.4	AMP
PM 6202B-CW5	5-Wire	USB or RS-232	70.0 * 20.0 * 10.3	Not required
PM 6202B-CZ5	5-Wire	USB or RS-232	70.0 * 20.0 * 10.3	Not required
PenMount 9000 Series Controller				
PM 9026BH	4-, 8-Wire	RS-232	60.0 * 20.0 * 8.3	ZIF / AMP
PM 9036CH-8	4-, 8-Wire	RS-232	60.0 * 26.0 * 8.3	ZIF / AMP
PM 9036CH-5	5-Wire	RS-232	60.0 * 26.0 * 8.3	AMP

AMT Resistive Touchscreens with MOQ Requirement

SIZE	PART NO.	THICKNESS GLASS (mm)	THICKNESS OVERALL (mm)	SURFACE FINISH	TAIL	TAIL LENGTH (mm)	OUTSIDE AREA L*W (mm)	VIEW AREA L*W (mm)	ACTIVE AREA L*W (mm)
4-, 8-Wire Resistive Touchscreens									
4.36" w	9551-000	0.70	1.00	Antiglare	4-Wire	70.00	104.90 * 66.60	98.10 * 56.90	96.10 * 54.90
5.72"	98531-00C	1.80	2.10	Antiglare	4-Wire	65.00	132.50 * 104.70	122.00 * 93.85	116.17 * 87.37
5.76"	9528-00B	1.10	1.40	Antiglare	4-Wire	50.00	137.00 * 109.00	121.00 * 92.10	117.00 * 88.10
5.77"	9503-00C	1.60	1.90	Antiglare	4-Wire	64.80	138.60 * 110.00	120.20 * 90.40	117.20 * 88.40
5.88"	9504-00B	1.10	1.40	Antiglare	4-Wire	70.00	140.00 * 104.00	121.20 * 92.30	119.20 * 90.30
5.88"	9523-00C	1.10	1.40	Antiglare	4-Wire	61.00	140.00 * 104.00	122.10 * 93.30	119.20 * 90.30
6.40"	9550-000	1.10 CS	1.40	Antiglare	4-Wire	76.20	153.00 * 126.50	133.10 * 99.50	130.60 * 97.00
7"	10404-000	1.10	1.40	Antiglare	4-Wire	157.50	164.50 * 102.00	155.60 * 92.00	153.60 * 90.00
7"	9519-00C	1.10	1.40	Antiglare	4-Wire	50.00	166.00 * 100.00	157.00 * 90.00	155.00 * 88.00
8.48"	9530-00A	1.60	1.90	Antiglare	4-Wire	76.10	188.90 * 141.70	174.00 * 131.50	172.00 * 129.50
8.53" w	9559-000	1.10	1.40	Antiglare	4-Wire	70.00	203.50 * 133.80	189.80 * 116.00	185.80 * 111.88
8.94" w	9555-000	1.10	1.40	Antiglare	4-Wire	70.00	213.36 * 129.55	198.00 * 116.40	196.07 * 114.40
12.14"	10205-000	1.10	1.40	Antiglare	4-Wire	70.00	259.40 * 198.00	249.00 * 187.50	246.50 * 185.30
17.12"	9527-00B	2.80	3.20	Antiglare	8-Wire	70.00	365.00 * 295.00	342.05 * 275.45	339.00 * 272.40
17.12"	9539-000	1.80	2.10	Antiglare	8-Wire	70.00	365.00 * 295.00	342.05 * 275.45	339.00 * 272.40
17.12"	9547-02C	2.80	3.20	Antiglare	8-Wire	70.00	365.00 * 295.00	342.05 * 275.45	339.00 * 272.40
5-Wire Resistive Touchscreens									
6.43"	2516-000	1.10	1.60	Antiglare	5-Wire	92.00	146.30 * 114.55	130.60 * 98.40	130.60 * 98.40
8.46"	2530-000	1.80	2.20	Antiglare	5-Wire	152.00	186.95 * 149.50	171.88 * 129.16	171.88 * 129.16
10.24" w	2526-020	1.10	1.50	Antiglare	5-Wire	91.33	235.00 * 145.80	223.20 * 133.70	223.20 * 133.70
12.15"	28161-00B	1.80	2.30	Antiglare	5-Wire	92.50	261.80 * 199.80	249.80 * 188.50	246.80 * 185.50
14.93"	28190-00C	1.80	2.20	Antiglare	5-Wire	205.00	322.00 * 245.50	303.50 * 227.50	303.50 * 227.50
14.93"	2534-000	1.80	2.20	Antiglare	5-Wire	201.00	322.00 * 245.50	303.50 * 227.50	303.50 * 227.50
18.54" w	2523-000	2.80	3.30	Antiglare	5-Wire	107.80	430.37 * 254.60	410.80 * 230.40	410.80 * 230.40
19.02"	2524-00A	1.80	2.30	Antiglare	5-Wire	152.50	393.40 * 316.65	377.30 * 302.05	377.30 * 302.05
21.99" w	2521-00A	2.80	3.30	Antiglare	5-Wire	152.50	493.70 * 320.10	473.76 * 296.10	473.76 * 296.10
Low Reflective Touchscreens									
7" w	70047-000	1.10	1.65	Antiglare	4 / FPC / ZIF / 45°	70.00	165.00 * 104.00	154.90 * 93.94	152.40 * 91.44
8.48"	70032-00A	1.10	1.65	Antiglare	4 / FPC / ZIF / 45°	55.00	188.90 * 141.70	174.00 * 131.50	172.00 * 129.50
10.40"	70035-03A	1.10	1.65	Antiglare	4 / FPC / ZIF / 45°	50.00	225.30 * 174.00	214.30 * 165.00	212.00 * 159.20
12.1"	70031-00A	1.80 CS	2.35	Clear	8 / FPC / BERG / 45°	101.00	268.00 * 204.00	250.00 * 188.00	246.00 * 185.00
Glass-Film-Glass Touchscreens									
7"	16013-00C	1.10 CS	1.80 (0.2)	Clear	4 / FPC / ZIF	70.00	165.00 * 104.00	154.90 * 93.94	152.40 * 91.44
8.39"	16065-00A	1.10 CS	1.90 (0.2)	Clear	5 / FPC / AMP - C	151.50	192.17 * 142.50	170.40 * 127.80	170.40 * 127.80
10.44"	16064-00A	1.10 CS	1.85 (0.2)	Clear	5 / FPC / AMP - C	93.50	230.70 * 174.60	214.00 * 161.20	212.00 * 159.20
12.12"	16003-00A	1.80 CS	2.50 (0.2)	Clear	5 / FPC / AMP - C	151.50	266.60 * 204.00	250.00 * 188.00	246.00 * 185.00
14.96"	16004-00E	2.80	3.60 (0.2)	Clear	5 / FPC / AMP - C	91.00	326.50 * 253.50	309.00 * 233.00	304.00 * 228.00
19.22"	16001-00B	2.80	3.70 (0.2)	Clear	5 / FPC / AMP - C	148.50	406.28 * 323.40	382.48 * 307.22	380.88 * 305.62
24.07"	16120-000	2.80	3.40 (0.2)	Clear	5 / FPC / AMP - C	360.00	546.40 * 352.00	518.40 * 324.00	518.40 * 324.00
Framed Touch									
10.44"	2539-F00	1.10	1.50	Clear	5-Wire	86.90	251.03 * 202.42	211.03 * 158.42	212.03 * 159.42
12.22"	2540-F00	1.80	2.20	Clear	5-Wire	86.90	295.00 * 239.50	247.00 * 185.50	248.00 * 186.50
15.02"	2541-F0A	1.80	2.20	Clear	5-Wire	86.90	357.10 * 289.10	305.10 * 229.10	306.10 * 230.10

Specifications subject to change without prior notice

January 2020